


| REVISIONS |     |                 |           |     |      |
|-----------|-----|-----------------|-----------|-----|------|
| P         | LTR | DESCRIPTION     | DATE      | DWN | APVD |
|           | A   | INITIAL RELEASE | 02JUL2015 | DL  | CW   |
|           |     |                 |           |     |      |
|           |     |                 |           |     |      |
|           |     |                 |           |     |      |




TYPE 1: BODY + SINGLE STEEL LOCKING


NOTES:  
1. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER-COATED, GRAY  
OPERATION TEMPERATURE: -40-+125°C  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
1. 技术参数:  
主体材料: 铝合金  
表面处理: 粉末喷涂, 灰色  
工作温度: -40-+125°C  
防护等级: IP65(配合)

|                      |        |                           |      |      |
|----------------------|--------|---------------------------|------|------|
| TI610243121-000      | TYPE 1 | H24B-SGR-LB-PG21          | PG21 | -    |
| TI610243125-000      |        | H24B-SGR-LB-M25           | M25  | -    |
| TI610243221-000      |        | H24B-SGR-LB-2PG21         | PG21 | PG21 |
| TI610243225-000      |        | H24B-SGR-LB-2M25          | M25  | M25  |
| TI620243121-000      | TYPE 2 | H24B-SDR-LB-PG21          | PG21 | -    |
| TI620243125-000      |        | H24B-SDR-LB-M25           | M25  | -    |
| TI620243221-000      |        | H24B-SDR-LB-2PG21         | PG21 | PG21 |
| TI620243225-000      |        | H24B-SDR-LB-2M25          | M25  | M25  |
| TI620243421-000      | TYPE 3 | H24B-SDRM-LB-PG21         | PG21 | -    |
| TI620243425-000      |        | H24B-SDRM-LB-M25          | M25  | -    |
| TI620243321-000      |        | H24B-SDRM-LB-2PG21        | PG21 | PG21 |
| TI620243325-000      |        | H24B-SDRM-LB-2M25         | M25  | M25  |
| ASSEMBLY PART NUMBER | TYPE   | ASSEMBLY PART DESCRIPTION | IG1  | IG2  |



TYPE 2: BODY + SINGLE STEEL LOCKING + PLASTIC PROTECTION COVER  
OTHER SPEC REFER TO TYPE 1



TYPE 3: BODY + SINGLE STEEL LOCKING + METAL PROTECTION COVER  
OTHER SPEC REFER TO TYPE 1

|                                        |  |                             |                                |              |                              |
|----------------------------------------|--|-----------------------------|--------------------------------|--------------|------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN DAVID LI 02JUL2015      | TE Connectivity                |              |                              |
|                                        |  | CHK CHRIS WANG 02JUL2015    |                                |              |                              |
|                                        |  | APVD XU XIANG 02JUL2015     | NAME H24B-SGR/SDR/SDRM-LB-PG/M |              |                              |
| DIMENSIONS: mm                         |  | PRODUCT SPEC 108-137013     |                                |              |                              |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APPLICATION SPEC 114-137013 |                                |              |                              |
| MATERIAL TBD                           |  | WEIGHT -                    | SIZE A2                        | CAGE CODE -  | DRAWING NO. C-TI6X0243XXXX00 |
|                                        |  | Customer Drawing            | SCALE 1:2                      | SHEET 1 OF 2 | REV A                        |


| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |

D


C

B


A



TYPE 4: HIGH BODY + SINGLE STEEL LOCKING



TYPE 5: HIGH BODY + SINGLE STEEL LOCKING + PLASTIC PROTECTION COVER  
OTHER SPEC REFER TO TYPE 4



TYPE 6: HIGH BODY + SINGLE STEEL LOCKING + METAL PROTECTION COVER  
OTHER SPEC REFER TO TYPE 4

|                      |        |                           |      |      |
|----------------------|--------|---------------------------|------|------|
| TI650243121-000      | TYPE 4 | H24B-SGRH-LB-PG21         | PG21 | -    |
| TI650243129-000      |        | H24B-SGRH-LB-PG29         | PG29 | -    |
| TI650243132-000      |        | H24B-SGRH-LB-M32          | M32  | -    |
| TI650243221-000      |        | H24B-SGRH-LB-2PG21        | PG21 | PG21 |
| TI650243229-000      |        | H24B-SGRH-LB-2PG29        | PG29 | PG29 |
| TI650243232-000      |        | H24B-SGRH-LB-2M32         | M32  | M32  |
| TI660243121-000      | TYPE 5 | H24B-SDRH-LB-PG21         | PG21 | -    |
| TI660243129-000      |        | H24B-SDRH-LB-PG29         | PG29 | -    |
| TI660243132-000      |        | H24B-SDRH-LB-M32          | M32  | -    |
| TI660243221-000      |        | H24B-SDRH-LB-2PG21        | PG21 | PG21 |
| TI660243229-000      |        | H24B-SDRH-LB-2PG29        | PG29 | PG29 |
| TI660243232-000      |        | H24B-SDRH-LB-2M32         | M32  | M32  |
| TI660243121-100      | TYPE 6 | H24B-SDRHM-LB-PG21        | PG21 | -    |
| TI660243129-100      |        | H24B-SDRHM-LB-PG29        | PG29 | -    |
| TI660243132-100      |        | H24B-SDRHM-LB-M32         | M32  | -    |
| TI660243221-100      |        | H24B-SDRHM-LB-2PG21       | PG21 | PG21 |
| TI660243229-100      |        | H24B-SDRHM-LB-2PG29       | PG29 | PG29 |
| TI660243232-100      |        | H24B-SDRHM-LB-2M32        | M32  | M32  |
| ASSEMBLY PART NUMBER | TYPE   | ASSEMBLY PART DESCRIPTION | IG1  | IG2  |

|                                        |  |                             |                                                                 |  |  |
|----------------------------------------|--|-----------------------------|-----------------------------------------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN DAVID LI 02JUL2015      | TE Connectivity                                                 |  |  |
| DIMENSIONS: mm                         |  | CHK CHRIS WANG 02JUL2015    |                                                                 |  |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD XU XIANG 02JUL2015     | NAME H24B-SGR/SDR/SDRM-LB-PG/M                                  |  |  |
| 0 PLC ±                                |  | PRODUCT SPEC 108-137013     | SIZE A2 CAGE CODE - DRAWING NO C-TI6X0243XXXX00 RESTRICTED TO - |  |  |
| 1 PLC ±                                |  | APPLICATION SPEC 114-137013 |                                                                 |  |  |
| 2 PLC ±                                |  | WEIGHT -                    | SCALE 1:2 SHEET 2 OF 2 REV A                                    |  |  |
| 3 PLC ±                                |  | Customer Drawing            |                                                                 |  |  |
| 4 PLC ±                                |  |                             |                                                                 |  |  |
| ANGLES ±                               |  |                             |                                                                 |  |  |
| FINISH -                               |  |                             |                                                                 |  |  |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[T1650243229-000](#)