



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Locks & Position Assurance



Connector & Contact Retention Accessory Type: **Retainer**  
Primary Product Color: **Black**  
Primary Product Material: **PBT GF**  
Operating Temperature Range: **-40 – 120 °C [ -40 – 248 °F ]**

Features

Product Type Features

Connector & Contact Retention Accessory Type	Retainer
--	----------

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Quantity	5000
Packaging Method	Carton

Other

Serviceable	Yes
-------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold




EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-1534150-1  
4POS MQS REC COD A

Customers Also Bought



TE Part #5-963716-3  
MQS0,63 Ag tab LL unseal. 0,5-0,75



TE Part #1326140-1  
32WAY LAC SHIELD ASSEMBLY 70 D



TE Part #1747251-1  
MT 6POS PLUG HSG



TE Part #1823396-1  
50POS,ELO 0.63,REC HSG,1KSLEFT, ASSY





TE Part #1-1924067-5  
2POS, MCON 1.2 CB REC 2p TL  
SEALED



TE Part #1-2299987-2  
65W SEAL PLUG,CONN KIT



TE Part #2298627-1  
24POS,HYBRID,TAB HSG ASSY,  
UNSLD,COD A



TE Part #2-953729-1  
4W MCP RCPT HSG LV ASSY



TE Part #1-1534170-1  
MQS ABDECKKAPPE2X5P



TE Part #1417448-1  
2-1393387-9 IN BLISTER

Documents

Product Drawings  
MQS RETAINER ,BLACK

English

CAD Files  
3D PDF

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.2d\_dxf.zip

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.3d\_igs.zip

English

Customer View Model  
ENG\_CVM\_1534149-1\_A2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications  
Product Specification

English