

Part Number: 1731110137

Product Description: FCT Plastic Backshell for D-Sub Connector, Gray, Shell Size 4, Straight or 90° Angle Cable Outlet, Flat Body, with Grip Cover and #4-40 Locking Screws, Individual

Packing

Series Number: 173111

Status: Active

Product Category: D-Sub Backshells Engineering Number: FPHGR-4E



Documents & Resources

Drawings

Drawing 1731110137_sd.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|--|
| China RoHS | <u> </u> |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Reviewed per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant with Exemption 6(a) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

Part Details

General

| Status | Active |
|----------------|--|
| Category | D-Sub Backshells |
| Series | 173111 |
| Description | FCT Plastic Backshell for D-Sub Connector, Gray, Shell Size 4, Straight or 90° Angle Cable Outlet, Flat Body, with Grip Cover and #4- 40 Locking Screws, Individual Packing |
| Magnetic | Yes |
| Product Family | FCT D-Sub Connectors |
| Product Name | FCT Products |
| Туре | Plastic |
| UPC | 889056488389 |

Electrical

| Shield Type | None |
|-------------|------|
| Shielded | No |

Physical

| Cable Diameter | 11.20mm |
|-------------------------------|-----------------------|
| Color - Resin | Gray |
| Material - Backshell | PBT |
| Material - Screw | Steel |
| Mounting Style | Locking Screw |
| Net Weight | 33.600/g |
| Orientation | Straight or 90° Angle |
| Packaging Type | Bag |
| Plating - Backshell | None |
| Temperature Range - Operating | -55° to +140°C |
| Thread Size | 4-40 UNC |
| Thread Type | Standard |

| Tightening Test Torque | 40 Ncm |
|------------------------|--------|
| Waterproof / Dustproof | No |

Use with Part(s)

| Description | Part Number |
|-------------|-------------------|
| Use With | FCT D-Sub, Size 4 |

This document was generated on Sep 26, 2024