




Ordering Information:

A1275-GP - ***
1 2

- 1.Part NO.
- 2.Finish

- TG :Mating Area : 100µin (2.54µm) MIN. Tin
Crimp Area: 1µin (0.025µm) MIN. Gold
- GT :Mating Area : 1µin (0.025µm) MIN. Gold
Crimp Area: 100µin (2.54µm) MIN. Tin
- GT15 :Mating Area : 15µin (0.38µm) MIN. Gold
Crimp Area: 100µin (2.54µm) MIN. Tin
- GT30 :Mating Area : 30µin (0.76µm) MIN. Gold
Crimp Area: 100µin (2.54µm) MIN. Tin
- GT50 :Mating Area : 50µin (1.27µm) MIN. Gold
Crimp Area: 100µin (2.54µm) MIN. Tin
- GG15 :Mating Area : 15µin (0.38µm) MIN. Gold
Crimp Area: 1µin (0.025µm) MIN. Gold
- GG30 :Mating Area : 30µin (0.76µm) MIN. Gold
Crimp Area: 1µin (0.025µm) MIN. Gold
- GG50 :Mating Area : 50µin (1.27µm) MIN. Gold
Crimp Area: 1µin (0.025µm) MIN. Gold



Ordering information & Specifications

Unit:mm

Part NO.	Wire Range	Insultion O.D.	Material	Finish	Qty/reel
A1275-TP	FFC	---	Phosphor Bronze	Tin over Nickel	20,000 PCS
A1275-GP	FFC	---	Phosphor Bronze	Gold over Nickel	20,000 PCS

REV	DESCRIPTION	DATE
A1	CHANGE THE DRAWING	2020.05.13
A0	NEW RELEASE	2017.02.10

CJTconn CHANGJIANG CONNECTORS CO.,LTD.

Unit	Scale	Sheet	TITLE
mm	4:1	1 of 1	1.27mm PITCH CRIMP TERMINAL
DRWN	CHK'D	APPR	
Dengchun Yi	Djankui Wan	Jack Yin	
General Tolerances		THIRD ANGLE PROJECTION	DRAWING NO.
x.xx±0.25 x.xxx±0.20 x.xxxx±0.15 ANGLES ±1°			A1275-T

REV A1