




IPT / APT

TE Internal #: 2141783-2
Housing for Male Terminals, Wire-to-Board / Wire-to-Device, 3
Position, Sealable, Orange, Panel Mount, -40 – 140 °C [-40 – 284 °
F], IPT / APT
[View on TE.com >](#)

Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Board, Wire-to-Device**
Number of Positions: **3**
Connector & Housing Type: **Housing for Male Terminals**
Sealable: **Yes**
Number of Rows: **1**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Circular
Connector System	Wire-to-Board, Wire-to-Device
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes

Configuration Features

Number of Positions	3
Number of Rows	1

Electrical Characteristics

Operating Voltage	850 VAC
Nominal Voltage Architecture	850 V

Body Features

Cable Exit Angle	180°
Primary Product Color	Orange



Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	With
Mating Alignment Type	Not Keyed
Mating Alignment	Without
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	PA GF
------------------	-------

Dimensions

Connector Height	40.6 mm[1.59 in]
Product Width	49 mm[1.92 in]
Product Length	120 mm[4.72 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Packaging Features

Packaging Quantity	48
Packaging Method	Tray

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241)



SVHC > Threshold:
Pb (2.7% in Component Part)









Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability













Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>









Compatible Parts

 <p>TE Part # 1-1991225-7 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D</p>	 <p>TE Part # 1-1991225-6 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D</p>	 <p>TE Part # 3-2177380-1 RING TONGUE, CONTACT</p>	 <p>TE Part # 1-1991225-5 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D</p>
 <p>TE Part # 1719826-5 SINGLE WIRE SEAL,8MM HV</p>	 <p>TE Part # 2141809-3 CONTACT KIT, BODY AND SPRING,</p>	 <p>TE Part # 1719826-6 SINGLE WIRE SEAL,8MM HV</p>	 <p>TE Part # 1-2177380-1 RING TONGUE, CONTACT</p>













 <p>TE Part # 2-2177380-1 RING TONGUE, CONTACT</p>	 <p>TE Part # 1-1991225-2 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D</p>	 <p>TE Part # 1-1991225-4 PROTECTIVE COVER. IPT 16-50mm sq. CABLE D</p>	 <p>TE Part # 1-2208025-1 1POS,RING TONGUE,HSG,CAP</p>
 <p>TE Part # 1-2208025-2 1POS,RING TONGUE,HSG,CAP</p>	 <p>TE Part # 2-2177380-2 RING TONGUE, CONTACT</p>	 <p>TE Part # 2-2208025-1 1POS,RING TONGUE,HSG,CAP</p>	 <p>TE Part # 2-2208025-2 1POS,RING TONGUE,HSG,CAP</p>
 <p>TE Part # 2141809-4 CONTACT KIT, BODY AND SPRING,</p>	 <p>TE Part # 2177380-1 RING TONGUE, CONTACT</p>	 <p>TE Part # 2177526-1 ANTI ROTATION SAFEGUARD-HV-1P, IPT,16mmsq</p>	 <p>TE Part # 2208335-2 RING TONGUE, CONTACT</p>

Also in the Series | IPT / APT

 <p>Automotive Connector Caps & Covers (9)</p>	 <p>Automotive Connector EMC Shielding (6)</p>	 <p>Automotive Housings(22)</p>	 <p>Automotive Terminals(1)</p>
 <p>Connector Seals & Cavity Plugs(7)</p>	 <p>High Voltage Wire Processing Equipment(16)</p>	 <p>Other Automotive Connector Accessories(21)</p>	 <p>Ring Terminals(11)</p>

Customers Also Bought



 <p>TE Part #2141616-1 SHIELDING, 5+2 POS HV CONN</p>	 <p>TE Part #3-2177380-1 RING TONGUE, CONTACT</p>	 <p>TE Part #2177090-2 STEEL, OUTER FERRULE, 8MM HV, 35SQMM</p>	 <p>TE Part #1-2141261-1 SHIELD CRIMP FERRULE, INNER</p>
 <p>TE Part #2-2365269-1 2POS, 21MM, CABLE COVER</p>	 <p>TE Part #2141264-4 SINGLE WIRE SEAL, AMP MCP6.3/4.8K</p>	 <p>TE Part #2141612-5 RADIAL SEAL, 25X43, CABLE SEAL, BN</p>	 <p>TE Part #2141612-9 RADIAL SEAL 25 X 43, CABLE SEAL, WH</p>
 <p>TE Part #2177526-4 ANTI ROTATION SAFEGUARD-HV-1P, IPT, 50mmsq</p>	 <p>TE Part #1587819-1 PLUG ASSY, KEY A, HVA280-2PHI</p>		

Documents

Product Drawings
3POS,RING TONGUE,HSG,ASSY,SEALED
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2141783-2_C.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_2141783-2_C.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_2141783-2_C.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications



Application Specification

English