

10

9

8

7

6

5

4

3

2

1

F

F

E

E

D

D

C



C

B

B

A


A



DETAIL "D"

NOTES

1. RE DETAILED DIMENSION, SEE PRODUCT DRAWING.
2. NUMBER OF CONNECTORS : 20000PCS/REEL
3. LEAD TAPE LENGTH.



4. PEELING OFF FORCE OF THE TOP TAPE IS DEFINED BY IEC60286-3.
5. MATERIAL
CARRIER TAPE : POLYSTYRENE OR PET
TOP TAPE : PET , OTHER
REEL : POLYSTYRENE (PS) < RECYCLE MATERIAL CONTAINED >
6. ELV AND RoHS COMPLIANT
7. CONFORM TO 2033909200-SPK_PS200 FOR PACKAGING SPECIFICATION.
8. CONFORM TO 2033909200-SPK_PS201 FOR PACKAGING SPECIFICATION.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				0.175BB H=0.6 QUADROW PLUG EMBS PACKAGE											
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.03		EC NO: 769450 DRWN: AISHII 2023/11/13 CHK'D: YKOBAYASHI02 2023/11/24 APPR: KSASAKI 2023/11/24				PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.03													
2 PLACES		± 0.05													
1 PLACE		± 0.1		INITIAL REVISION: DRWN: DGONDO 2020/06/25 APPR: YKOBAYASHI02 2020/07/07				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES		± 0.2						2033900000-SD		PSD	000	F			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		203390		SEE CHART		GENERAL		1 OF 2	

DOCUMENT STATUS	P1	RELEASE DATE	2023/11/24	08:19:45
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

