TE Internal #: 51421-2

SHV RF Interface, Jack, Threaded, Cable-to-Board, 1 Position, Wire

& Cable, Panel Mount, -65 – 200 °C [-85 – 392 °F], Solder, Straight,

Brass, Nickel

View on TE.com >



Connectors > RF Connectors > Coax Connectors











RF Interface: SHV

RF Connector Style: Jack

RF Connector Mated Outer Diameter (Approximate): 11.07 mm [.436 in]

RF Connector Coupling Mechanism: Threaded

Connector System: Cable-to-Board

Features

Product Type Features

RF Interface	SHV
RF Connector Style	Jack
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	1
Number of Coaxial Contacts	1

Body Features

Cable Connector Orientation	Straight
Body Material	Brass
Body Plating Material	Nickel

Contact Features

RF Connector Center Contact Underplating Material	Nickel	
---	--------	--



RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Brass
Termination Features	
Termination Method to Wire & Cable	Solder
Mechanical Attachment	
Panel Mount Feature Type	Flange
RF Connector Coupling Mechanism	Threaded
Connector Mounting Type	Panel Mount
RF Contact Captivation Method	Mechanical
RF Contact Captivation Method Detent	Mechanical With
Detent	
Detent Dimensions	With
Detent Dimensions RF Connector Mated Outer Diameter (Approximate)	With
Detent Dimensions RF Connector Mated Outer Diameter (Approximate) Usage Conditions	With 11.07 mm[.436 in]

Product Compliance

Dielectric Material

Other

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free

PTFE



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts















Customers Also Bought























Documents

Product Drawings
SHV PANEL RECPT

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_51421-2_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_51421-2_K.3d_igs.zip

English

Customer View Model

ENG_CVM_51421-2_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Coaxial High Voltage Connectors

English

Application Specification

English