



TE Internal #: 1411594-1
Receptacle, Mating Tab Width 2.8 mm [.11 in], Tab Thickness .63 mm [.025 in], 15 – 13 AWG Wire Size, 1.5 – 2.5 mm² Wire Size, Automotive Terminals
[View on TE.com >](#)

Terminals & Splices > Automotive Terminals



Terminal Type: **Receptacle**
Mating Tab Width: **2.8 mm [.11 in]**
Mating Tab Thickness: **.63 mm [.025 in]**
Terminal Transmits: **0 – 24 A (Low Power)**
Wire Size: **15 – 13 AWG**

Features

Product Type Features

Sealable	Yes
Primary Locking Feature	Locking Lance

Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

Contact Features

Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	20 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.63 mm[.025 in]
Interface Plating	Tin (Sn)



Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	2.2 – 2.4 mm
Wire Size	1.5 – 2.5 mm²
Wire Size Search	13 AWG, 14 AWG, 15 AWG

Usage Conditions

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Quantity	3800
Packaging Method	Reel

Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability







Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 3-1579007-9 EXTRACTION TOOL	 TE Part # 2837616-1 OCEAN-2.0-APPLICATOR-S-100F160O-RSM	 TE Part # 2837616-2 OCEAN-2.0-APPLICATOR-S-100F160O-RSA	 KIT TE Part # 7-2837616-7 OCEAN_2.0_SPARE_PART_KIT-100F160O
---	---	---	--

Customers Also Bought

 TE Part #HDP26-18-8PN-L017 PLG, 8P, BLK, N, RNG, 12, P	 TE Part #321066 TERMINAL,SOLIS FLAG R 1/0 3/8	 TE Part #1718350-3 MCON 1.2 CB TAB STC AG	 TE Part #1SNG601090R0000 EP-SG-M25-BL-E
 TE Part #1393454-2 V23542C1028Z102=28P ABDECKKAPP	 TE Part #1393436-4 V23542C1028B300=KABELBAUMST. 8	 TE Part #1393454-5 V23542C1028Z300=ABDECKK 28PDIC	 TE Part #1393457-4 V23540M1000Z110=DICHTTULLE (F1)



TE Part #4-1411572-1

ELOGEDR X5600Y75

Documents

Product Drawings

ELOP2,8 F6000Y 65

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1411594-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1411594-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1411594-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Verarbeitungsanweisung ELO Power Seal Crimpkontakte

German

Application Specification

German

Application Specification

German

Application Specification

English