

1014325

https://www.phoenixcontact.com/us/products/1014325

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Magnetic label, can be ordered: by line, silver, labeled according to customer specifications, mounting type: magnetic adhesion, lettering field size: 15000 x 30 mm, Number of individual labels: 1

Commercial data

Item number	1014325
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8141
Catalog page	Page 357 (C-5-2013)
GTIN	4046356786294
Weight per piece (including packing)	1.99 g
Weight per piece (excluding packing)	1.99 g
Country of origin	PL



1014325

https://www.phoenixcontact.com/us/products/1014325

Technical data

Product properties

Product type	Labeled systems marker
Area of application	Warehousing/logistics
Product property	magnetic
Marking	
Number of individual labels	1
Number of individual labels per row	1

Dimensions

Width	30 mm
Length	15000 mm
Material strength	0.56 mm

Material specifications

Color	silver
Material	Magnetic tape
Coating	Polyester foil

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C 55 °C
ranbioni temperature (operation)	00 0 00 0

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)

Mounting

Mounting type	magnetic adhesion
Mounting type	magnetic adhesion



1014325

https://www.phoenixcontact.com/us/products/1014325

Classifications

ECLASS

	ECLASS-11.0	27281104
	ECLASS-12.0	27281104
	ECLASS-13.0	27281104
ET	TIM	
	ETIM 9.0	EC001288
UN	ISPSC	
	UNSPSC 21.0	39131500



1014325

https://www.phoenixcontact.com/us/products/1014325

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
EU REACH SVHC	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com