

#### **MULTIGIG RT 3**

TE Internal #: 2302796-1


56 Position, Mating Alignment, Keyed Mating Alignment Type, 7 Row, 8 Column, PCB Mount Header, MULTIGIG RT 3, High Speed

Backplane Connectors

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Number of Positions: 56

Row-to-Row Spacing: 1.35 mm [ .053 in ]

Mating Alignment: With

Mating Alignment Type: Keyed

Number of Rows: 7

### **Features**

### **Product Type Features**

Compatible with PCB Type	Daughtercard
Signal Arrangement	Differential
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
PCB Connector Assembly Type	PCB Mount Header
Shroud Style	Unshrouded
Configuration Features	
Number of Ground Positions	20
Card Slot Centerline	20.3 mm[.8 in]
Number of Power Positions	0



Signal Characteristics	
Differential Impedance	100 Ω
Number of Differential Pairs per Column	2
Contact Features	
Contact Current Rating (Max)	1 A
Termination Features	
Termination Method to PCB	Through Hole - Press-Fit
Mechanical Attachment	
Mating Alignment	With
Mating Alignment Type	Keyed
Connector Mounting Type	Board Mount
Housing Features	
Number of Shrouded Sides	2
Housing Material	LCP - GF (Liquid Crystal Polymer)
Centerline (Pitch)	1.8 mm[.075 in]
Dimensions	
Row-to-Row Spacing	1.35 mm[.053 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Signal

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in



other sources.

### Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






## Also in the Series | MULTIGIG RT 3



# Customers Also Bought





















### **Documents**

### **Product Drawings**

RAPLUGASSY, LEFTEND, HALF, RTM, VPX, MGRT3

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2302796-1\_2.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2302796-1\_2.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2302796-1\_2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

**MULTIGIG RT 3 and RT 2-S Connectors** 

English

## **Product Specifications**

**Application Specification** 

English