



TE Internal #: 6-1393127-9  
2 Poles, 120VAC Coil Voltage Rating, 30A Contact Current Rating,  
Contact Arrangement 1 Form X SPST-NO-DM, Definite Purpose  
Contactors  
[View on TE.com >](#)

Relays & Contactors > Contactors > Definite Purpose Contactors



Contact Number of Poles: 2  
Coil Voltage Rating: 120 VAC  
Contact Current Rating: 30 A  
Contact Arrangement: 1 Form X SPST-NO-DM  
Coil Resistance: 290 Ω

Features

Configuration Features

Contact Number of Poles	2
Contact Arrangement	1 Form X SPST-NO-DM

Electrical Characteristics

Contact Switching Voltage (Max)	600 VAC
Coil Voltage Rating	120 VAC
Contact Current Rating	30 A
Coil Resistance	290 Ω

Contact Features

Contact Material	Silver Cadmium Oxide
------------------	----------------------

Termination Features

Main Termination & Connection Type	8-32 Screw
Coil Termination & Connection Type	6-32 Screw

Mechanical Attachment

Product Mount Type	Panel
--------------------	-------

Operation/Application

Current Type	AC
--------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Cadmium oxide (10% in Component Part) <b>Article Safe Usage Statements:</b> Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts




TE Part # 5-1393158-2  
35D013=ENCLOSURE,PR,ASSY,W/BAS

Customers Also Bought







TE Part #2213362-4  
RCPT ASSY, DIMMABLE  
PHOTOCONTROL, 105C, 3/4




TE Part #6609049-1  
3VQ1=F7265 S0




TE Part #1-1437597-7  
2SWK131AL101=NON UL KEYLOCK  
SW




TE Part #382825-000  
44A1121-16-2/6-9




TE Part #4-1393118-6  
KUP-17A55-24=KU




TE Part #2-1393030-9  
SSR-480D125= PANEL MNT, 125A,  
600VAC-DC i/p




TE Part #2-1609114-1  
15CUFS1=F8302



TE Part #1924779-1  
WIRE DRESS ASSY, 96P GPEC II



TE Part #4-1393306-5  
VF711F11/X834



TE Part #POE-48I  
POE, Inj, 48V, 16W

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_6-1393127-9\_C.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_6-1393127-9\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6-1393127-9\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRD 10 to 50 Amp Heavy Duty AC or DC Power Relay

English

Product Specifications



Definitions General Purpose Relays

English

Agency Approvals

UL

English