



Do you have any questions?

We will be pleased to help you.



Mon-Thu. 8am - 4.30 pm

Fri 8 am - 3 pm

+49 2941 765 0

info@conec.de

[Contact form >](#)



M-F 8:30 – 5:00 ET

919 460 8800

info@conec.com

[Contact form >](#)



M-F 8:30 – 5:00 ET

905 790 2200

info@conec.com

[Contact form >](#)



M-F 8:30 – 5:00 ET

0975267217

info@conec.fr



Part. No.: 43-00100


SAL-12-RSC4-S/150

Short description


- Connectors field attachable
- Male connector axial
- Screw Termination
- M12x1
- 4- pos.
- Screwable
- Unshielded
- Zinc die cast



[Download](#)



[Download](#)



[Download](#)

Please send us

☐ Quote

☐ 3D File

☐ Drawing

☐ Contact me by phone

☐ Sample

General Data

Coding

Contact type

Locking type

Product type

Size A-side

Size/Number of positions

A-coding

Male connector axial

Screwable

Connectors field attachable

M12x1

4- pos.

Formulaire de contact >

0713 744 045

info@conec.pl

Formularz kontaktowy

577 350 132

info@conec.cz

Kontaktní formulář

21 663 009 30

info@conec.cn

Contact form >

Style

Termination signal [e.g. clamp, crimp, solder, SMT]

Field attachable connectors

Screw Termination

Certificates

Product UL approved [UL File]

UL-File: E331608

Material Data

Coupling nut /-screw material

Coupling nut /-screw plating

Housing color

Housing material

Insulator color

Insulator material

Plating signal contact (mating area)

Signal contact material

Zinc die cast

Nickel

Black

zinc die cast

Black

PA6 , UL94

Gold over nickel

Copper alloy

Technical Data

Current rating signal

IP rating

Insulation resistance

Mating cycles

Pollution degree

Sealing material

Shielding

Wire cross section

Working voltage signal

max. working temperature

min. working temperature

7,5 A at +40°C

IP67

>=100M Ohm

>=100

3/2

Elastomere

Unshielded

1,5 mm²

250 V

+80° C

-30° C

Specifications

IEC 61076-2-101

IEC 60529

IEC 60512

IEC 60512-9a

IEC 60664-1

IEC 61076-2-101

IEC 60664-1

IEC 60664-1





NewsFRESH

I would like to receive exclusive
product information as of now!

e-mail address

Subscribe to our newsletter

Copyright © 2017 CONEC Elektronische Bauelemente GmbH

[Imprint](#) / [General Terms](#) / [Sitemap](#) / [Privacy Statement](#) /