




**Part Number :** [986581212](#)  
**Product Description :** MOX Crimp Terminal, Female, 0.635mm, 18-22 AWG (0.75mm<sup>2</sup>), Reel, Tin (Sn)  
**Series Number :** 98658  
**Status :** Active  
**Product Category :** Crimp Terminals



## Documents & Resources

**Drawings**  
[Drawing 986581212\\_sd.pdf](#)


**3D Models and Design Files**  
[3D Model 986581212\\_stp.zip](#)

**Specifications**  
[Application Specification AS-98658-001-001.pdf](#)  
[Application Specification AS-98658-001-CH-001.pdf](#)  
[Application Specification AS-98944-005-001.pdf](#)  
[Application Specification 989820002-AS-000.pdf](#)  
[Application Specification 989820002-AS-CH-000.pdf](#)

**Tooling Specifications**  
[Crimp Specification CS-98658-001-001.pdf](#)

## Product Environment Compliance

### Compliance

GADSL/IMDS	Duty-To-Declare
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements  
- Eu RoHS  
- REACH SVHC

- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

#### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Crimp Terminals
Series	98658
Description	MOX Crimp Terminal, Female, 0.635mm, 18-22 AWG (0.75mm <sup>2</sup> ), Reel, Tin (Sn)
Application	Power, Wire-to-Board, Wire-to-Wire
Comments	Terminal has Stainless Steel Sleeve
Product Family	MOX Products
Product Name	MOX
UPC	800756560199

### Electrical

Current - Maximum per Contact	7.5A
-------------------------------	------

### Physical

Durability (mating cycles max)	20
Gender	Female
Material - Metal	Copper-Nickel-Silicon, Stainless Steel
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.258/g
Packaging Type	Reel
Plating min - Mating	1.016µm

Plating min - Termination	1.016µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.70mm max.
Wire Size (AWG)	18
Wire Size mm <sup>2</sup>	0.82

## Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

## Use with Part(s)

Description	Part Number
Use With	All 0.635mm MOX Housings

## Application Tooling

### Global

Description	Part Number
Hand Crimp Tool	<u>638119300</u>
MOX Extraction Tool	<u>638132600</u>
Extractor Tool for 2.80mm Crimp Terminals	<u>638136900</u>
Extractor Tool for 2.80mm Crimp Terminals	<u>638137000</u>
Extractor Tool for MOX 0.635mm Receptacle Crimp Terminals	<u>638138400</u>
Extractor Tool for MOX 0.635mm Receptacle Crimp Terminals	<u>638138500</u>
Extractor Tool for MOX 0.635mm Receptacle Crimp Terminals	<u>638244400</u>
FineAdjust Applicator	<u>638667000</u>