


Bilingual Keep Hands Clear When Equipment Is Running Sign

# Bilingual Keep Hands Clear When Equipment Is Running Sign



## Product Highlights

**Sign Size (H x W):**

14" x 10"

**Material:**

Aluminum


**Part Number:**

124022

**ADD TO CART**

1





Add To Favorites

You May Also Like



Overview

Durable Non-Reflective Aluminum (B-555) is a rigid aluminum panel with protected graphics designed for use in industrial, utility, commercial and institutional environments.

- Non-Reflective Aluminum (B-555) is ideal for indoor and outdoor usage
- Printed with durable inks and clear-coat protection for fade resistance
- Withstands wind, rain, sunlight and high temperatures
- Average outdoor durability 5-8 years

Specifications

|  |  |
|--|--|
|  |  |
|--|--|

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Material Number                  | <b>B-555</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Country of Origin                | US - All trade information (i.e. Country of Origin, Harmonized Schedule code, and/or Export Control Classification Number) and related assistance provided by Brady Corporation and its affiliates is provided for informational purposes only and is subject to change without notice. Any use of such information by you is without recourse to Brady Corporation or its affiliates and is at your own risk. This information is not provided as legal advice or as a substitute for obtaining specific legal advice. If you have any questions regarding your specific situation, you should consult your attorney. |
| Catalog Page #                   | <a href="#">63</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Dimensions                       | 14 in H x 10 in W x 0.035 in D                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| UOM                              | Each                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Illumination                     | Not Illuminated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Indoor or Outdoor Use            | Outdoor Use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Laminated                        | Not Laminated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Maximum Service Temperature °F   | 230 °F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Minimum Service Temperature °F   | -40 °F                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| PSPA Photoluminescence Class     | Not Illuminated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Product Number                   | 124022                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| UPC                              | 754473797614                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Reverse Legend                   | No Reverse Text                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Sign Size (H x W)                | 14" x 10"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Thickness                        | 0.035 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| UNSPSC                           | 55121704                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coating Material                 | Clear Overcoat                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Color                            | Black/Red on White                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Header                           | No Header                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Language                         | English, Spanish                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Material                         | Aluminum                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Material Properties              | Rigid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Meets Industry Standards - Signs | ANSI Z53.1-1967                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Mounting Type                    | Corner Holes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Reflective Type                  | Non-Reflective                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Resistance Properties            | Abrasion-Resistant, Chemical-Resistant                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Reverse Header                   | No Reverse Header                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Shape                            | Rectangle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Text Legend                      | KEEP HANDS CLEAR WHEN EQUIPMENT IS RUNNING/NO ACERCAR LAS MANOS CUANDO EL EQUIPO ESTA FUNCIONAMIENTO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Solutions

[Floor Marking Guide](#)  
[GHS Label Compliance](#)  
[Lockout Tagout Compliance](#)  
[Arc Flash Labeling Requirements](#)  
[Cable and Wire Label Options](#)  
[Product and Barcode Labeling](#)

## Services

[Lockout Tagout Services](#)  
[Arc Flash Services](#)  
[Confined Space Services](#)  
[Software Programming & Integration](#)  
[Label Template & File Conversion](#)  
[Printer Use & Training](#)  
[Printer Preventative Maintenance](#)  
[Toll and Custom Coating](#)  
[Authentication & Tracking Services](#)

## Help

[Contact Us](#)  
[Website Feedback](#)  
[Knowledge Center](#)  
[Printer Drivers & Firmware](#)  
[Brady Software Updates](#)  
[Safety Data Sheets](#)  
[Technical Data Sheets](#)  
[WEEE-RoHS Compliance](#)  
[Product Certification](#)  
[Printer Registration](#)

## Resources

[Find a Distributor](#)  
[Design Custom Safety Signs](#)  
[Create Custom THT Labels](#)  
[Printer Selection Tool](#)  
[Label Selection Tool](#)  
[Digital Catalog](#)  
[Request a Catalog](#)  
[Interactive Facility Map](#)  
[EPA e-Manifest Update](#)

### Corporate Other BradyContact Sites

[About](#)

[Careers](#)

[Investors](#)

[Privacy](#)

[Policy](#)

[Terms and](#)

[Conditions](#)

[Terms of](#)

[Use](#)

[ISO](#)

[Certificates Solutions](#)

[Distributor](#)

[Portal](#)

[International](#)

[Sites](#)

[Safety](#)

[Services &](#)

[Software](#)


[Brand](#)

[Protection](#)

[Solutions](#)

6555 W.  
Good Hope  
Rd.  
Milwaukee,  
WI 53223  
Phone: 888-  
250-3082  
Hours: 7am-  
6pm CT  
Monday -  
Thursday;  
Friday 7am-  
5pm CT

**Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.**



2019 © Brady Worldwide, Inc.