



Connector Location A

Connector Location B



- Protection level: IP65/67
- Temperature range: -40°C ... +70°C

All Dimensions in mm		Tech. Character.		Free size tol.		According to production drawing	
	All rights reserved	Created by STOCHECIC Stochei	Inspected by COSTEA Costea	Standardisation MUNTEANV Muntean	Date 2018-05-17	State Final Release	
	Department HCS - RO	Title HARTING PushPull RJ45 Cable Assembly				Doc-Key / ECM-Nr. 100155480/UGD/008/D 500000135295	
HARTING Customised Solutions D-32339 Espelkamp		Type TB	Number 09473636XXX			Rev. D	Page 1/2

1		2		3		4		5		6		7		8	
A	49	09473636044	RJl Ethernet stranded cable, 4xAWG22/7, PVC, Cat. 5+, green	100	93	09473636088	RJl Ethernet stranded cable, AWG22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black	100	A						
	48	09473636043		90	92	09473636087		90							
	47	09473636042		80	91	09473636086		80							
	46	09473636041		70	90	09473636085		70							
B	45	09473636040		60	89	09473636084		60	B						
	44	09473636039		50	88	09473636083		50							
	43	09473636038		40	87	09473636082		40							
	42	09473636037		30	86	09473636081		30							
C	41	09473636036		20	85	09473636080		20	C						
	40	09473636035		15	84	09473636079		15							
	39	09473636034		10	83	09473636078		10							
	38	09473636033		9	82	09473636077		9							
D	37	09473636032	8	81	09473636076	8	D								
	36	09473636031	7	80	09473636075	7									
	35	09473636030	6	79	09473636074	6									
	34	09473636029	5	78	09473636073	5									
E	33	09473636028	4	77	09473636072	4	E								
	32	09473636027	3	76	09473636071	3									
	31	09473636026	2	75	09473636070	2									
	30	09473636025	1.5	74	09473636069	1.5									
F	29	09473636024	1	73	09473636068	1	F								
	28	09473636023	0.5	72	09473636067	0.5									
	27	09473636022	100	71	09473636066	100									
	26	09473636021	90	70	09473636065	90									
A	25	09473636093	RJl Ethernet standard cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+, green	85	69	09473636064	RJl Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green	85	A						
	24	09473636020		80	68	09473636063		80							
	23	09473636019		70	67	09473636062		70							
	22	09473636092		65	66	09473636061		65							
B	21	09473636018		60	65	09473636060		60	B						
	20	09473636091		55	64	09473636059		55							
	19	09473636017		50	63	09473636058		50							
	18	09473636016		40	62	09473636057		40							
C	17	09473636090		35	61	09473636056		35	C						
	16	09473636015		30	60	09473636055		30							
	15	09473636089		25	59	09473636054		25							
	14	09473636014		20	58	09473636053		20							
D	13	09473636013	15	57	09473636052	15	D								
	12	09473636012	10	56	09473636051	10									
	11	09473636011	9	55	09473636050	9									
	10	09473636010	8	54	09473636049	8									
E	9	09473636009	7	53	09473636048	7	E								
	8	09473636008	6	52	09473636047	6									
	7	09473636007	5	51	09473636046	5									
	6	09473636006	4	50	09473636045	4									
F	5	09473636005	3	Cont. no. Part no. Type of cable Dim. a[m]				F							
	4	09473636004	2	All Dimensions in mm Original Size DIN A3											
	3	09473636003	1.5	Scale 1:1 Free size tol.											
	2	09473636002	1	Ref.											
A	1	09473636001	0.5	Sub.				A							
	Cont. no.	Part no.	Type of cable	Dim. a[m]	Created by STOCHECIC Stocheci										
					Inspected by COSTEA Costea										
					Standardisation MUNTEANV Muntean										
B					Date 2018-05-17				B						
					State Final Release										
					Title HARTING PushPull RJ45 Cable Assembly										
					Doc-Key / ECM-Nr. 100155480/UGD/008/D 500000135295										
C					Rev. D				C						
					Page 2/2										
					HARTING Customised Solutions										
					D-32339 Espelkamp										
D					Type TB				D						
					Number 09473636XXX										
E									E						
F									F						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09473636012](#) [09473636023](#) [09473636034](#) [09473636036](#) [09473636051](#)