



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover Housing**

Cable Exit Angle: **180°**

Strain Relief: **With**

Primary Product Color: **Orange**

Primary Product Material: **PA GF**

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Cover Housing

Body Features

Cable Exit Angle	180°
Primary Product Color	Orange
Primary Product Material	PA GF

Mechanical Attachment

Strain Relief	With
---------------	------

Dimensions

Compatible Cable Bundle Diameter Range	11.3 mm[.44 in]
--	-----------------

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °
-----------------------------	--



	C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Industry Standards

UL Flammability Rating	None
------------------------	------

Packaging Features

Packaging Quantity	600
Packaging Method	Carton

Other

Serviceable	No
-------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



 TE Part # 1-2282289-2 2POS,HVA,630-2PHM PIGTAIL,HYB ASSY	 TE Part # 1-2282289-3 2POS,HVA,630-2PHM PIGTAIL,HYB ASSY	 TE Part # 1-2282289-5 2POS,HVA,630-2PHM PIGTAIL,HYB ASSY	 TE Part # 1-2282289-6 2POS,HVA,630-2PHM PIGTAIL,HYB ASSY
 TE Part # 2141256-1 2POS,AMP MCP6.3/4.8K,REC HSG, ASSY	 TE Part # 2141256-6 2POS,AMP MCP6.3/4.8K,REC HSG, ASSY,CODF	 TE Part # 2141264-3 SINGLE WIRE SEAL,AMP MCP6.3/4.8K	 TE Part # 6-2282289-2 2POS,HVA,630-2PHM PIGTAIL,HYB ASSY

Also in the Series | **HVA 630**

 Automotive Connector Caps & Covers (10)	 Automotive Connector EMC Shielding (3)	 Automotive Housings(17)	 Connector Seals & Cavity Plugs(7)
 Electric, Hybrid & Fuel Cell Cable Assemblies(18)	 High Voltage Wire Processing Equipment(13)	 Other Automotive Connector Accessories(3)	 PCB Headers & Receptacles(2)

Customers Also Bought



 TE Part #1587724-3 OUTER FERRULE, SIZE C, HVA280	 TE Part #1587985-1 INNER HSG SUBASSY, HVA280-2PHM	 TE Part #2103153-1 SPACER, HVA280-2PHM	 TE Part #2141608-4 5POS,AMP MCP6.3/4.8K,REC HSG,A
 TE Part #1587829-3 OUTER FERRULE, SIZE C, HVA280-2PI	 TE Part #1-2103157-1 SHIELD, PLUG, SIZE 1, Ag, HVA280	 TE Part #1587530-3 SWS,HVA 280	 TE Part #2319384-1 5POS,AMP MCP 6.3/4.8K,REC INNER HSG
 TE Part #2322123-3 SWS,AMP MCP 6.3/4.8K,24.9X42.7,HV CONN.	 TE Part #2322224-1 REC CONN CVR,5POS,AMP MCP 6.3 /4.8K		

Documents

Product Drawings
COVER,SEAL

English

CAD Files
3D PDF

3D

Customer View Model
ENG_CVM_CVM_2141265-3_A.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_2141265-3_A.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_2141265-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English