




Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1624 – 5178 CMA

Stud Size: #10

Features

Product Type Features

Shape Description	Anti-Rotational/Grounding
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.048 g
----------------	--------

Contact Features

Contact Base Material	Steel
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	Nickel



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.098 in
Wire Size	1624 – 5178 CMA
Stud Diameter	5.35 mm [.21 in]
Tongue Thickness	.51 mm [.02 in]
Product Length	15.49 mm [.61 in]
Barrel Inside Diameter	1.6 mm, 2.8 mm [.063 in] [.11 in]
Compatible Insulation Diameter (Max)	3.51 mm [.138 in]
Compatible Insulation Diameter Range	2.5 – 3.5 mm [.098 – .138 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	5000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2150473-1

OCEAN_2.0_Applicator-E-130F180F-REM



TE Part # 2150473-2

OCEAN_2.0_Applicator-E-130F180F-REA



TE Part # 7-2150473-7

OCEAN_2.0_SPARE_PART_KIT-130F180F

Customers Also Bought



TE Part #177916-1

AMP POWER DBL LOCK TAB (S)



TE Part #1-368589-1

PDL 4P CAP 3.9% D/R P/M(GWT) N



TE Part #521204-6

RAST 5,HSG,2P,POSILOCK MKIII



TE Part #737440-2

250 FASTON REC 17-14 AWG TPBR



TE Part #170328-1

250 PL MKII REC. 18-14AWG PTBR



TE Part #927833-2

SPT REC 6.3 Contact SRC Sn



TE Part #521085-1

DRYER .250 HOUSING NYLON 6/6



TE Part #964201-1

STD TIMER CONTACT



Documents

Product Drawings
SHAKE-PROOF RING-TONGUE 0.8-2 MM2 TPST
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_737161-1_J.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_737161-1_J.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_737161-1_J.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications
Product Specification
English
Product Specification
English
Product Specification
English