

### **Standard Power Timer**

TE Internal #: 1743271-2


Housing for Female Terminals, Wire-to-Wire, 3 Position, 9.65 mm [. 379 in] Centerline, Sealable, Black, Wire & Cable, Signal, Standard

Power Timer

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > Timer Connector Housing



Connector System: Wire-to-Wire

Number of Positions: 3

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 9.65 mm [ .379 in ]

Sealable: Yes

All Timer Connector Housing (507)

## Features

### **Product Type Features**

Product Type Features	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	3
Number of Rows	1
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Contact Features	
Contact Size	6.3mm
Contact Type	Receptacle

6.3 mm[.248 in]

Mating Tab Width



Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	9.65 mm[.379 in]
Dimensions	
Connector Height	27.9 mm[1.09 in]
Product Width	33.35 mm[1.31 in]
Product Length	38.7 mm[1.52 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	50

## Other

Serviceable	No
Connector Position Assurance Capable	No

Tray

## **Product Compliance**

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free


### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts
















TE Part # 1743274-2 SPT 3P PLUG COVER HSG













# Also in the Series | Standard Power Timer





Automotive Housings(32)



Automotive Terminals(55)



Insertion & Extraction Tools(1)

# Customers Also Bought













TE Part #1-2355514-1
4POS,MCON 1.2,REC HSG ASSY,SLD,



TE Part #1-2355515-1 5POS,MCON 1.2,REC HSG ASSY,SLD, COD A



TE Part #2349074-1 4POS,AMP MCP 2.8K,REC HSG ASSY



TE Part #3-2355506-1 2POS,MCON 1.2,REC HSG ASSY,SLD, COD C



TE Part #9-2379270-1 025 SMD 40P HDR ASSY V-TYPE CODE A TUBE

TE Part #2437289-1 AMP MCP 2.8K,TERMINAL

## **Documents**

Product Drawings
SPT SLD 3P PLUG ASSY BLK

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1743271-2\_G.2d\_dxf.zip

Housing for Female Terminals, Wire-to-Wire, 3 Position, 9.65 mm [.379 in] Centerline, Sealable, Black, Wire & Cable, Signal, Standard Power Timer



English

**Customer View Model** 

ENG\_CVM\_CVM\_1743271-2\_G.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1743271-2\_G.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

English