

Part Number: 5035663902

**Product Description :** 0.30mm Pitch Easy-On FPC Connector, Right-Angle, Bottom Contact, 0.95mm Height, 39 Circuits, Gold over Nickel

**Plating** 

Status: Active

Series Number: 503566

Product Category: FFC / FPC Connectors

#### **Documents & Resources**

#### **Drawings**

Drawing 5035663902\_sd.pdf

3D Models and Design Files

3D Model 5035663902\_stp.zip

#### **Specifications**

Application Specification 5035660000-A00.pdf
Packaging Specification 5035669200-200.pdf
Product Specification 5035660000-000.pdf

### **Product Environment Compliance**

#### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

# **Part Details**

### General

Status	Active
Category	FFC / FPC Connectors
Series	503566
Description	0.30mm Pitch Easy-On FPC Connector, Right-Angle, Bottom Contact, 0.95mm Height, 39 Circuits, Gold over Nickel Plating
Product Family	Easy-On FFC FPC Connectors
Product Name	Easy-On
UPC	191128129879

## Electrical

Current - Maximum per Contact	0.3A
Voltage - Maximum	50V

# Physical

Actuator Type	Front Flip
Circuits (Loaded)	39
Circuits (maximum)	39
Color - Resin	Natural
Contact Position	Bottom
Durability (mating cycles max)	10
Mated Height	0.95mm
Material - Metal	Phosphor Bronze
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Resin	Liquid Crystal Polymer
Net Weight	56.126/mg
Orientation	Right Angle
Packaging Type	Embossed Tape on Reel

PCB Locator	No
PCB Mounting	Surface Mount
PCB Retention	None
Pitch - Mating Interface	0.30mm
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C
Wire/Cable Type	FPC only

## Mates With / Use With

## Mates with Part(s)

Description	Part Number
0.30mm Pitch Premo-Flex FPC Jumpers with Latching Ears	<u>15032</u>

This document was generated on Sep 15, 2024