

Please download the latest datasheet of RDE7U2J333J5B1H03B from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=RDE7U2J333J5B1H03B

# RDE7U2J333J5B1H03B





















### **Applications**

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Applications  Specific Applications	these "Precautions for use."  Consumer equipment,Industrial Equipment,Mobile Electronics,Medical equipment [GHTF A/B/C] except for implant equipment,Automotive infotainment/comfort equipment Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual
	Product.




### **Notices**

Halogen-free Products



## Appearance & Shape







#### References

		Standard
Packaging		Packing
		Quantity
В	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.43g

1 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Please download the latest datasheet of RDE7U2J333J5B1H03B from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=RDE7U2J333J5B1H03

## RDE7U2J333J5B1H03B



## **Specifications**

L size or Outer diameter D	7.5mm max.
Width	8.0mm max.
T size	4.0mm max.
Lead spacing F	5.0±0.8mm
Lead diameter d	0.5±0.05mm
Paint dripping e	1.5mm max.
Capacitance	33000pF ±5%
Rated voltage	630Vdc
Temperature characteristics	U2J(EIA)
Temperature range of temperature characteristics	-55°C to 125°C
Operating Temperature Range	-55°C to 125°C
тс	-55 to 25°C: -750+120/- 347ppm/°C 25 to 125°C: - 750±120ppm/°C

2 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Please download the latest datasheet of RDE7U2J333J5B1H03B from the official website of Murata


http://www.murata.com/en-us/products/productdetail?partno=RDE7U2J333J5B1H03B


## RDE7U2J333J5B1H03B





### **Characteristic Data**

The charts below may show another part number which shares its characteristics.









3 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Please download the latest datasheet of RDE7U2J333J5B1H03B from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=RDE7U2J333J5B1H03B

## RDE7U2J333J5B1H03B



RDE7U2J333J5B1H03B S21 DCOV,25degC

4 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

