



Part Number : [310731070](#)
Product Description : 2.54mm H-DAC 64, 6 Way Male Housing Assembly, Single Row, Polarization A, Black, with Xmas Tree Attachment
Series Number : 31073
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings
[310731070_sd.pdf](#)
[PK-30907-737-001.pdf](#)
[PK-31301-076-001.pdf](#)

3D Models and Design Files
[310731070_stp.zip](#)

Specifications
[AS-31067-100-001.pdf](#)
[PS-31067-0001-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	31073
Description	2.54mm H-DAC 64, 6 Way Male Housing Assembly, Single Row, Polarization A, Black, with Xmas Tree Attachment
Application	Automotive, Power, Wire-to-Wire
Comments	Polarization Option A, Black
Product Name	H-DAC 64
UPC	756054339213

Physical

Circuits (maximum)	6
Color - Resin	Black
Gender	Plug
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	Modified Polystyrene, Polyester
Net Weight	3.230/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.54mm
Pitch - Termination Interface	2.54mm
Polarized to Mating Part	Yes

Ports	1
Stackable	No
Temperature Range - Operating	-40° to +100°C

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Mates With / Use With

Mates with Part(s)

Description	Part Number
2.54mm H-DAC 64, 6 Way Receptacle Assembly, Single Row, Polarization A	<u>310731010</u>

Use with Part(s)

Description	Part Number
Use With	See Product Specification