




Part Number : [2124150500](#)
Product Description : 2.50mm Pitch, Board-In Crimp Housing, 5 Circuits, Right-Angle, Natural
Series Number : 212415
Status : Active
Product Category : Connector Housings



Documents & Resources

Drawings
[Drawing 2124150500_sd.pdf](#)

3D Models and Design Files
[3D Model 2124150500_stp.zip](#)

Specifications
[Packaging Specification 2124150000PK-000.pdf](#)
[Product Specification 2124150000PS-000.pdf](#)

Tooling Specifications
[Crimp Specification 350210000CS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)
- Eu RoHS
- REACH SVHC
- Low-Halogen

[Multiple Part Industry Compliance Documents](#)

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	212415
Description	2.50mm Pitch, Board-In Crimp Housing, 5 Circuits, Right-Angle, Natural
Application	Signal, Wire-to-Board
Product Family	Board-in Connectors
Product Name	Board-in
UPC	193264513666

Physical

Circuits (maximum)	5
Color - Resin	Natural
Gender	N/A
Glow-Wire Capable	No
Material - Resin	Polyamide
Net Weight	0.135/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.50mm
Stackable	No
Temperature Range - Operating	-40° to +105°C

Use with Part(s)

Description	Part Number
2.50mm Pitch, Board-in Male Crimp Terminal, Right-Angle, Brass Tin (Sn) Plating, 22-28 AWG, Reel	<u>350211001</u>
2.50mm Pitch, Board-in Male Crimp Terminal, Right-Angle, Tin (Sn) Plating, 22-28 AWG, Reel	<u>350211160</u>