

AXL E MP 60 - Mounting panel

2701761

<https://www.phoenixcontact.com/us/products/2701761>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting panel for Axioline E metal devices



Product description

The AXL E MP 60 mounting panel allows for easy mounting of Axioline E metal devices, see compatible metal devices in the "Axioline E: System and installation" user manual.

Commercial data

Item number	2701761
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DR04
Product key	DRI7ZA
GTIN	4046356831390
Weight per piece (including packing)	152.6 g
Weight per piece (excluding packing)	149.8 g
Customs tariff number	73269098
Country of origin	DE

AXL E MP 60 - Mounting panel



2701761

<https://www.phoenixcontact.com/us/products/2701761>

Technical data

Notes

Note on application	
Note on application	Only for industrial use

Product properties

Product type	Assembly element
Product family	Axioline E

Dimensions

Width	60 mm
Height	180.5 mm
Depth	9 mm

Mounting

Mounting type	Panel mounting, optional DIN rail adapter
---------------	---

AXL E MP 60 - Mounting panel

2701761

<https://www.phoenixcontact.com/us/products/2701761>



Classifications

ECLASS

ECLASS-12.0	27182807
ECLASS-11.0	27182807
ECLASS-13.0	27182807

ETIM

ETIM 9.0	EC002625
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

AXL E MP 60 - Mounting panel



2701761

<https://www.phoenixcontact.com/us/products/2701761>

Environmental product compliance

EU RoHS	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com