



Switches > Toggle Switches > Toggle Switch 4-Pole, Sealed, Lever, Toggle

Configuration (Pole-Throw): **Four Pole - Single Throw**

Bushing Thread Size: **M12 x .75**

Contact Base Material: **Copper**

Switch Contact Plating Material: **Silver Tin Oxide**

Process Sealed: **Yes**

[All Toggle Switch 4-Pole, Sealed, Lever, Toggle \(7\)](#)

Features

Product Type Features

Switch Connection Type	Quick Connect Terminal
Sealed Device	Yes
Toggle Style	Lever
Switch Type	Toggle

Configuration Features

Configuration (Pole-Throw)	Four Pole - Single Throw
Operating Function	On On

Electrical Characteristics

Contact Current Rating	15 A
Operating Voltage	28 VDC

Body Features

Actuator Finish	Thermoplastic
Bushing Thread Size	M12 x .75
Sealing Method	Strippable Transparent Protective Seal
Product Orientation	Horizontal
Bushing Style	Threaded

Contact Features

Contact Base Material	Copper
-----------------------	--------



Switch Contact Plating Material

Silver Tin Oxide

Mechanical Attachment

Product Mount Type

Panel

Housing Features

Process Sealed

Yes

Operation/Application

Opposite Keyway Toggle Position

2-3, 5-6, 8-9, 11-13

Center Toggle Position

None

Keyway Toggle Actuation Position

1-2, 4-5, 7-8, 10-11

Industry Standards

IP Rating

IP6K5

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>


EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2021 (211) SVHC > Threshold: Pb (2.5% in Component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts




TE Part # K2001774
Toggle Switch 07-2-2-10




TE Part # K1014077
Toggle Switch 07-1-2-17 934


Also in the Series | KISSLING Series 07



Other Automotive Connector Accessories(1)




Switch Seals & Accessories(7)




Toggle Switches(98)


Customers Also Bought




TE Part #5-1418363-1
39 POS TAB 2.8x0.8 HEADER CODE




TE Part #3-1418883-1
62.POS.MIXED REC.HSG




TE Part #K1022530
Switch guard 07-0-0-01




TE Part #K1126415
Power Relay, 120A, Standard, Monostable, DC




TE Part #185793-1
90 DEG CAP CORRUGTD TUBE



TE Part #2141227-1
2POS,PIN DIA 8.0,PIN HSG,ASSY,SLD



TE Part #K1155494
Emergency Stop Switch ES-2003-T111



TE Part #927777-1
JUNIOR POWER TIMER CONTACT



Documents

Product Drawings

Toggle Switch 07-4-2-13 933

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_07-4-2-13-933_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING TOGGLE SWITCH Series 07

English