

Part Number : 5601230700

**Product Description :** DuraClik ISL Wire-to-Board Receptacle Housing, Single Row, White,

7 Circuits

Status: Active

Series Number: 560123

**Product Category:** Connector Housings

#### **Documents & Resources**

#### **Drawings**

Drawing 5601230700\_sd.pdf

### **Specifications**

Packaging Specification PK-560123-001-001.pdf Product Specification PS-560123-001-001.pdf Product Specification 5601240131-000.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Compliant
China RoHS	Not Relevant
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

#### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

# Part Details

# General

Status	Active
Category	Connector Housings
Series	560123
Description	DuraClik ISL Wire-to-Board Receptacle Housing, Single Row, White, 7 Circuits
Application	Automotive, Signal, Wire-to-Board
Product Family	DuraClik Connector System
Product Name	DuraClik
UPC	191130507115

# Agency

UL	E29179
----	--------

# Physical

Circuits (maximum)	7
Color - Resin	White
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Resin	PBT
Net Weight	0.414/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	2.00mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +130°C

# Mates With / Use With

## Mates with Part(s)

Description	Part Number
DuraClik Right-Angle Single Row Headers	502352
DuraClik Vertical Single Row Headers	560020

# Use with Part(s)

Description	Part Number
DuraClik Wire-to-Board Independent Secondary Lock (ISL) Retainer, 7 Circuits, Gray	/content/molex/molex-dot- com/us/en/products/product-page- pdf.html/5601250700.html
DuraClik ISL Female Crimp Terminals	<u>560124</u>

This document was generated on Sep 15, 2024