# RLP73V2BR020FTDF ACTIVE

### CGS | CGS RLP73

TE Internal #: 2176055-8

Current Sensing Resistor, Thick Film, 1206, .5 W, .02 ohm, 1 %, ±600 ppm/°C, Solder, 2 Termination, Height .55 mm [.022 in], CGS RLP73

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > Thick Film Resistor: Current Sense



Resistor Type: Current Sensing Resistor

Element Type: **Thick Film** Package Size Code: **1206** 

Power Rating: .5 WResistance Value:  $.02 \Omega$ 

All Thick Film Resistor: Current Sense (214)

### **Features**

### **Product Type Features**

Resistor Type	Current Sensing Resistor
Element Type	Thick Film
Package Size Code	1206
Configuration Features	

### **Electrical Characteristics**

Number of Resistors

Power Rating	.5 W
Resistance Value	.02 Ω
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	1 %

#### **Termination Features**

Surface Mount Resistor Termination Type	Solder
Number of Terminations	2

### Dimensions

Product Height	.55 mm[.022 in]
Product Length	3.1 mm[.122 in]
Product Width	1.55 mm[.061 in]



#### **Usage Conditions**

Temperature Coefficient	±600 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**










### Also in the Series | CGS RLP73



# Customers Also Bought















TE Part #691794-000 MFT-MT1000-NO.33-0-SP



TE Part #2980814001 MT1000-3/32-0-SP





### **Documents**

Product Drawings
RLP73V 2B R020 1% 1K RL

English

CAD Files

3D PDF

3D

Current Sensing Resistor, Thick Film, 1206, .5 W, .02 ohm, 1 %, ±600 ppm/°C, Solder, 2 Termination, Height .55 mm [.022 in], CGS RLP73



**Customer View Model** 

ENG\_CVM\_CVM\_2176055-8\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176055-8\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176055-8\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

SMD Low Ohmic Current Sense Resistors - Type RL73 Series

English