


Part Number: 500138000

Product Description: 2.00mm Pitch Crimp Terminal, Reel, for 51005 Housing

Series Number: 50013

Status: Active

Product Category: Crimp Terminals



Documents & Resources

Specifications

SPK-50013-001-001.pdf PS-51005-001-001.pdf

Tooling Specifications

CS-50012_50013-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	•
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Part Details

General

Status	Active
Category	Crimp Terminals
Series	50013
Description	2.00mm Pitch Crimp Terminal, Reel, for 51005 Housing
Application	Signal
Product Name	N/A
UPC	800753629929

Electrical

Current - Maximum per Contact	2.0A
Voltage - Maximum	125V

Physical

Gender	Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	47.900/mg
Packaging Type	Reel
Plating min - Mating	0.889µm
Plating min - Termination	0.914µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	0.90-1.15mm
Wire Size (AWG)	24, 26, 28
Wire Size mm²	N/A

Mates With / Use With

Mates with Part(s)

Description	Part Number
Description	Tare Harriser

Use with Part(s)

Description	Part Number
2.00mm Pitch Wire-to-Wire Receptacle Housings	<u>51005</u>

Application Tooling

Global

Description	Part Number
Hand Crimp Tool for 2.00mm Pitch Wire-to-Wire Crimp Terminal, 28-24 AWG	<u>638117800</u>
T2 Terminator Die	638515000
FineAdjust Applicator	638615000

Application Tooling

Japan

Description	Part Number
S-1 Applicator for 2.00mm Pitch Female Crimp Terminals, 28-24 AWG	<u>570453710</u>

This document was generated on Oct 25, 2024