



LOC		DIST		REVISIONS						
HM		00		P	LTR	DESCRIPTION		DATE	DWN	APVD
					J	REC: ECO-10-024423		02DEC2010	GG	SJ



1. ALL DIMENSIONS ARE NOMINAL UNLESS OTHERWISE SPECIFIED.
2. APPLICATION: IN LINE OR END OF LINE POWER STRIP WITH 4 LINE 1 OR 4 LINE 2 OR 4 LINE 3 OR 4 LINE 4 OR 4 LINE 1G OR 4 LINE 2G OR 4 LINE 3G OR 4 LINE 4G, 125 VOLT, RECEPTACLES CAN BE INDIVIDUALLY REPLACED WITH DIFFERENT LINE AND GROUND (STANDARD AND ISOLATED) DUPLEX RECEPTACLES TO BALANCE LOADS. POWER STRIP IS DESIGNED TO SPLIT A BRANCH CIRCUIT INTO THREE DIRECTIONS. USED WITH AMPINERGY MODULAR WIRING SYSTEM.







3 MATERIAL:
JUNCTION BOX HOUSING AND DUPLEX RECEPTACLES - POLYCARBONATE, 94-V0.
ENCLOSURE AND HANGER - CARBON STEEL 1010 OR 1015 WITH EPOXY PAINT FINISH.
JUNCTION BOX AND DUPLEX RECEPTACLES CONTACTS - COPPER ALLOY SELECTIVELY TIN-PLATED AND SILVER-PLATED 0.00508 [0.000200] MINIMUM THICKNESS.
DUST COVER - 6/6 NYLON.

4 REMOVE DUST COVER(S) TO CONNECT POWER CONNECTION(S).




RACK	BLACK	20R/2/L3	VERTICAL	9-1375280-3
RACK	BLACK	20R/2/L2	VERTICAL	9-1375280-2
RACK	BLACK	20R/2/L1	VERTICAL	9-1375280-1
SLOT	BLACK	20R/4/L4	VERTICAL	8-1375280-4
SLOT	BLACK	20R/4/L3	VERTICAL	8-1375280-3
SLOT	BLACK	20R/4/L2	VERTICAL	8-1375280-2
SLOT	BLACK	20R/4/L1	VERTICAL	8-1375280-1
SLOT	BLACK	BLANK - NO RECEPTACLES	VERTICAL	6-1375280-3
SLOT	BLACK	BLANK - NO RECEPTACLES	HORIZONTAL	6-1375280-2
RACK	BLACK	BLANK - NO RECEPTACLES	HORIZONTAL	6-1375280-1
RACK	BLACK	20R/2/L3	HORIZONTAL	4-1375280-3
RACK	BLACK	20R/2/L2	HORIZONTAL	4-1375280-2
RACK	BLACK	20R/2/L1	HORIZONTAL	4-1375280-1
RACK	BLACK	20R/4/L4	HORIZONTAL	3-1375280-4
RACK	BLACK	20R/4/L3	HORIZONTAL	3-1375280-3
RACK	BLACK	20R/4/L2	HORIZONTAL	3-1375280-2
RACK	BLACK	20R/4/L1	HORIZONTAL	3-1375280-1
HANGER	COLOR	DUP REC-TYPE/QTY/LINE		PART NO.

LOC		DIST		REVISONS			
HM	00	P	LYR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




VERTICAL SLOT MOUNT ORIENTATION
6-1375280-3, 8-1375280-1 THROUGH 9-1375280-3
(NOTE: 6-1375280-3 HAS NO RECEPTACLES)

TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED. TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED. TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED.		DWN SMITH 10APR2001	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: MME[INCHES]		CHK F. LINCOLN 10APR2001	NAME ASSY, POWER STRIP, 4 PORT	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD F. LINCOLN 10APR2001	PRODUCT SPEC	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		± ±.51 [.02] ±.13 [.005] ± ±	APPLICATION SPEC	
MATERIAL		WEIGHT	SIZE A1	
-		-	CAGE CODE 00779	
CUSTOMER DRAWING		SCALE 1:1	DRAWING NO C-1375280	
		SHEET 2	OF 4	
		REV J		




ELECTRICAL SCHEMATIC FOR
3-1375280-2 (LINE 2)
4-1375280-2 (LINE 2)
8-1375280-2 (LINE 2)
9-1375280-2 (LINE 2)



ELECTRICAL SCHEMATIC FOR
3-1375280-4 (LINE 4)
8-1375280-4 (LINE 4)

THIS DRAWING IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED FOR THE MANUFACTURE OF THE PARTS SPECIFIED HEREON. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT IN THE COMPANY'S FILES AND NOT TO BE LOANED OUT OR GIVEN TO ANY OTHER PERSON. IT IS TO BE DESTROYED WHEN THE PARTS SPECIFIED HEREON ARE NO LONGER REQUIRED.		DWN 20NOV2000 CBY L. SMITH CWF LINCOLN APD LINCOLN 10APR2001		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: MM [INCHES]		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME ASSY, POWER STRIP, 4 PORT	
		0 PLC ± 1 PLC ± 2 PLC ±SEE 3 PLC ±SHEET 1 4 PLC ± ANGLES ±		PRODUCT SPEC - APPLICATION SPEC -	
MATERIAL -		FINISH -		SIZE CAGE CODE DRAWING NO A 00779 C=1375280	
		WEIGHT -		RESTRICTED TO -	
		CUSTOMER DRAWING -		SCALE 1:1 SHEET 3 of 4 REV J	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity Divested:](#)

[9-1375280-3](#)