

https://www.phoenixcontact.com/us/products/3240252



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable clamp, for DIN rails



Your advantages

- · The cable clamps provide strain relief
- The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- Individual or bundled cables with a diameter of up to 14 mm can be installed safely and easily

Commercial data

Item number	3240252
Packing unit	25 pc
Minimum order quantity	25 pc
Sales key	BE74
Product key	BE7421
Catalog page	Page 583 (C-3-2019)
GTIN	4046356464543
Weight per piece (including packing)	33.588 g
Weight per piece (excluding packing)	35.06 g
Customs tariff number	73269098
Country of origin	CN



https://www.phoenixcontact.com/us/products/3240252




Technical data

Product properties

Product type	Cable feed-through	
Data management status		
Article revision	00	

Dimensions



Material specifications

Material	Steel
Coating	galvanized

Cable/line

External cable diameter	6 mm 14 mm

Mounting

Mounting type	DIN rail mounting
---------------	-------------------

3240252

https://www.phoenixcontact.com/us/products/3240252



Drawings

Dimensional drawing

\$\frac{20}{14}\$



https://www.phoenixcontact.com/us/products/3240252



Classifications

ECLASS

	ECLASS-11.0	23159090
	ECLASS-13.0	23159090
	ECLASS-12.0	23159090
ETIM		
	ETIM 9.0	EC011571

UNSPSC

3240252

https://www.phoenixcontact.com/us/products/3240252



Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com