



Application Tooling > Hand Crimping Tools



Tool Grade: **Premium Crimp Tooling**
Ratchet Configuration: **Not Releasable, Not Adjustable**
Die Sets Type: **Fixed In Tool**
Specification Type: **TE Product Specification (114-)**
TE Certification: **Yes – Certificate Included**

Features

Other

Crimp Form-Wire Barrel Type	Open Barrel - F Crimp
Tool Grade	Premium Crimp Tooling
Ratchet Configuration	Not Releasable, Not Adjustable
Die Sets Type	Fixed In Tool
Specification Type	TE Product Specification (114-)
TE Certification	Yes – Certificate Included
Power Technology Type	Battery, Electric, Manual
Tooling Type	CERTI-CRIMP II, Straight Action Hand Tool

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Out of Scope
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content





Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>





Compatible Parts

 TE Part # 1-770985-0 MINI UMNL PIN 26-22AWG AU LP	 TE Part # 770986-1 MINI UMNL SOK 26-22AWG SN LP	 TE Part # 170365-3 MINI UNIVERSAL M-N-L SOCKET LP	 TE Part # 770985-1 MINI UMNL PIN 26-22AWG SN LP
 TE Part # 170363-3 MINI UNIVERSAL M-N-L PIN LP	 TE Part # 1-770902-1 MINI UMNL SOK 26-22 AWG AU LF	 TE Part # 170363-1 MINI UNIVERSAL M-N-L PIN LP	 TE Part # 170365-1 MINI UNIVERSAL M-N-L SOCKET LP
 TE Part # 770902-3 MINI UMNL SOK 26-22 AWG AU	 TE Part # 1-770901-0 MINI UMNL PIN 26-22 AWG AU LF	 TE Part # 1-770902-0 MINI UMNL SOK 26-22 AWG AU	 TE Part # 170361-4 UNIV. M-N-L SOC.



			
TE Part # 770901-1 MINI UMNL PIN 26-22 AWG SN	TE Part # 770902-1 MINI UMNL SOCK 26-22 AWG SN	TE Part # 170359-3 MINI UNIVERSAL M-N-L PIN	TE Part # 770902-4 MINI UMNL SOCK 26-22 AWG SN
			
TE Part # 170361-3 MINI UNIVERSAL M-N-L SOCKET	TE Part # 170359-1 UNIV M-N-L PIN 26-22 AWG	TE Part # 1-770986-0 MINI UMNL SOK 26-22AWG AU LP	TE Part # 170363-4 MINI UNIVERSAL M-N-L PIN LP

Customers Also Bought

			
TE Part #3-2040404-2 DYNAMIC 1500T TAB HSG 36PX P/M	TE Part #91513-1 CCII HD-20 PIN SKT 22-18 ASSY	TE Part #91500-1 CCII UNML UNML II PIN SKT 20-14 ASSY	TE Part #170365-1 MINI UNIVERSAL M-N-L SOCKET LP
			
TE Part #1-794226-0 MINI UMNL2 PIN 26-22AWG LP LF	TE Part #60196-3 187 FASTON REC 20-16 AWG TPBR	TE Part #91520-1 CCII AMPLIMITE HDP-22 PIN SKT 28-22 ASSY	TE Part #189727-1 EXTRACTION TOOL
			
TE Part #1213783-1 CCII UNVRLS POWER CON REC 26-16 ASSY	TE Part #170084-2 250 FASTON,REC.,18-14 AWG,TPPB		

Documents



Datasheets & Catalog Pages

AMP Circular Connectors for Commercial Signal & Power Applications Continued

English

Bottoming Dies

English

Product Specifications

Crimping of Mini-Universal MATE-N-LOK Contact

Japanese

Application Specification

Japanese