


# Low Mating Force mother board connector



# Low Mating Force

## mother board connector

### 2 row contact arrangements

| Number of Contacts | MB Number* | A Max. | B     | C Max. | G Min. |
|--------------------|------------|--------|-------|--------|--------|
| 020                | MB2-020(*) | 2.295  | 1.975 | .390   | 1.040  |
| 022                | MB2-022(*) | 2.395  | 2.075 | .390   | 1.140  |
| 024                | MB2-024(*) | 2.495  | 2.175 | .390   | 1.240  |
| 026                | MB2-026(*) | 2.595  | 2.275 | .390   | 1.340  |
| 028                | MB2-028(*) | 2.695  | 2.375 | .390   | 1.440  |
| 030                | MB2-030(*) | 2.795  | 2.475 | .390   | 1.540  |
| 032                | MB2-032(*) | 2.895  | 2.575 | .390   | 1.640  |
| 034                | MB2-034(*) | 2.995  | 2.675 | .390   | 1.740  |
| 036                | MB2-036(*) | 3.095  | 2.775 | .390   | 1.840  |
| 038                | MB2-038(*) | 3.195  | 2.875 | .390   | 1.940  |
| 040                | MB2-040(*) | 3.295  | 2.975 | .390   | 2.040  |
| 042                | MB2-042(*) | 3.395  | 3.075 | .390   | 2.140  |
| 044                | MB2-044(*) | 3.495  | 3.175 | .390   | 2.240  |
| 046                | MB2-046(*) | 3.595  | 3.275 | .390   | 2.340  |
| 048                | MB2-048(*) | 3.695  | 3.375 | .390   | 2.440  |
| 050                | MB2-050(*) | 3.795  | 3.475 | .390   | 2.540  |
| 052                | MB2-052(*) | 3.895  | 3.575 | .390   | 2.640  |
| 054                | MB2-054(*) | 3.995  | 3.675 | .390   | 2.740  |
| 056                | MB2-056(*) | 4.095  | 3.775 | .390   | 2.840  |
| 058                | MB2-058(*) | 4.195  | 3.875 | .390   | 2.940  |
| 060                | MB2-060(*) | 4.295  | 3.975 | .390   | 3.040  |
| 062                | MB2-062(*) | 4.395  | 4.075 | .390   | 3.140  |
| 064                | MB2-064(*) | 4.495  | 4.175 | .390   | 3.240  |
| 066                | MB2-066(*) | 4.595  | 4.275 | .390   | 3.340  |
| 068                | MB2-068(*) | 4.695  | 4.375 | .390   | 3.440  |
| 070                | MB2-070(*) | 4.795  | 4.475 | .390   | 3.540  |
| 072                | MB2-072(*) | 4.895  | 4.575 | .390   | 3.640  |
| 074                | MB2-074(*) | 4.995  | 4.675 | .390   | 3.740  |
| 076                | MB2-076(*) | 5.095  | 4.775 | .390   | 3.840  |
| 078                | MB2-078(*) | 5.195  | 4.875 | .390   | 3.940  |
| 080                | MB2-080(*) | 5.295  | 4.975 | .390   | 4.040  |
| 082                | MB2-082(*) | 5.395  | 5.075 | .390   | 4.140  |
| 084                | MB2-084(*) | 5.495  | 5.175 | .390   | 4.240  |
| 086                | MB2-086(*) | 5.595  | 5.275 | .390   | 4.340  |
| 088                | MB2-088(*) | 5.695  | 5.375 | .390   | 4.440  |
| 090                | MB2-090(*) | 5.795  | 5.475 | .390   | 4.540  |
| 092                | MB2-092(*) | 5.895  | 5.575 | .390   | 4.640  |
| 094                | MB2-094(*) | 5.995  | 5.675 | .390   | 4.740  |
| 096                | MB2-096(*) | 6.095  | 5.775 | .390   | 4.840  |
| 098                | MB2-098(*) | 6.195  | 5.875 | .390   | 4.940  |
| 100                | MB2-100(*) | 6.295  | 5.975 | .390   | 5.040  |
| 102                | MB2-102(*) | 6.395  | 6.075 | .390   | 5.140  |
| 104                | MB2-104(*) | 6.495  | 6.175 | .390   | 5.240  |
| 106                | MB2-106(*) | 6.595  | 6.275 | .390   | 5.340  |
| 108                | MB2-108(*) | 6.695  | 6.375 | .390   | 5.440  |
| 110                | MB2-110(*) | 6.795  | 6.475 | .390   | 5.540  |

| Number of Contacts | MB Number* | A Max. | B      | C Max. | G Min. |
|--------------------|------------|--------|--------|--------|--------|
| 112                | MB2-112(*) | 6.895  | 6.575  | .390   | 5.640  |
| 114                | MB2-114(*) | 6.995  | 6.675  | .390   | 5.740  |
| 116                | MB2-116(*) | 7.095  | 6.775  | .390   | 5.840  |
| 118                | MB2-118(*) | 7.195  | 6.875  | .390   | 5.940  |
| 120                | MB2-120(*) | 7.295  | 6.975  | .390   | 6.040  |
| 122                | MB2-122(*) | 7.395  | 7.075  | .390   | 6.140  |
| 124                | MB2-124(*) | 7.495  | 7.175  | .390   | 6.240  |
| 126                | MB2-126(*) | 7.595  | 7.275  | .390   | 6.340  |
| 128                | MB2-128(*) | 7.695  | 7.375  | .390   | 6.440  |
| 130                | MB2-130(*) | 7.795  | 7.475  | .390   | 6.540  |
| 132                | MB2-132(*) | 7.895  | 7.575  | .390   | 6.640  |
| 134                | MB2-134(*) | 7.995  | 7.675  | .390   | 6.740  |
| 136                | MB2-136(*) | 8.095  | 7.775  | .390   | 6.840  |
| 138                | MB2-138(*) | 8.195  | 7.875  | .390   | 6.940  |
| 140                | MB2-140(*) | 8.295  | 7.975  | .390   | 7.040  |
| 142                | MB2-142(*) | 8.395  | 8.075  | .390   | 7.140  |
| 144                | MB2-144(*) | 8.495  | 8.175  | .390   | 7.240  |
| 146                | MB2-146(*) | 8.595  | 8.275  | .390   | 7.340  |
| 148                | MB2-148(*) | 8.695  | 8.375  | .390   | 7.440  |
| 150                | MB2-150(*) | 8.795  | 8.475  | .390   | 7.540  |
| 152                | MB2-152(*) | 8.895  | 8.575  | .390   | 7.640  |
| 154                | MB2-154(*) | 8.995  | 8.675  | .390   | 7.740  |
| 156                | MB2-156(*) | 9.095  | 8.775  | .390   | 7.840  |
| 158                | MB2-158(*) | 9.195  | 8.875  | .390   | 7.940  |
| 160                | MB2-160(*) | 9.295  | 8.975  | .390   | 8.040  |
| 162                | MB2-162(*) | 9.395  | 9.075  | .390   | 8.140  |
| 164                | MB2-164(*) | 9.495  | 9.175  | .390   | 8.240  |
| 166                | MB2-166(*) | 9.595  | 9.275  | .390   | 8.340  |
| 168                | MB2-168(*) | 9.695  | 9.375  | .390   | 8.440  |
| 170                | MB2-170(*) | 9.795  | 9.475  | .390   | 8.540  |
| 172                | MB2-172(*) | 9.895  | 9.575  | .390   | 8.640  |
| 174                | MB2-174(*) | 9.995  | 9.675  | .390   | 8.740  |
| 176                | MB2-176(*) | 10.095 | 9.775  | .390   | 8.840  |
| 178                | MB2-178(*) | 10.195 | 9.875  | .390   | 8.940  |
| 180                | MB2-180(*) | 10.295 | 9.975  | .390   | 9.040  |
| 182                | MB2-182(*) | 10.395 | 10.075 | .390   | 9.140  |
| 184                | MB2-184(*) | 10.495 | 10.175 | .390   | 9.240  |
| 186                | MB2-186(*) | 10.595 | 10.275 | .390   | 9.340  |
| 188                | MB2-188(*) | 10.695 | 10.375 | .390   | 9.440  |
| 190                | MB2-190(*) | 10.795 | 10.475 | .390   | 9.540  |
| 192                | MB2-192(*) | 10.895 | 10.575 | .390   | 9.640  |
| 194                | MB2-194(*) | 10.995 | 10.675 | .390   | 9.740  |
| 196                | MB2-196(*) | 11.095 | 10.775 | .390   | 9.840  |
| 198                | MB2-198(*) | 11.195 | 10.875 | .390   | 9.940  |
| 200                | MB2-200(*) | 11.295 | 10.975 | .390   | 10.040 |

\*See How to Order, pages 5, 6 and 7

# Low Mating Force

## mother board connector

### 3 row contact arrangements

| Number of Contacts | MB Number* | A Max. | B     | C Max. | G Min. |
|--------------------|------------|--------|-------|--------|--------|
| 030                | MB3-030(*) | 2.295  | 1.975 | .490   | 1.040  |
| 033                | MB3-033(*) | 2.395  | 2.075 | .490   | 1.140  |
| 036                | MB3-036(*) | 2.495  | 2.175 | .490   | 1.240  |
| 039                | MB3-039(*) | 2.595  | 2.275 | .490   | 1.340  |
| 042                | MB3-042(*) | 2.695  | 2.375 | .490   | 1.440  |
| 045                | MB3-045(*) | 2.795  | 2.475 | .490   | 1.540  |
| 048                | MB3-048(*) | 2.895  | 2.575 | .490   | 1.640  |
| 051                | MB3-051(*) | 2.995  | 2.675 | .490   | 1.740  |
| 054                | MB3-054(*) | 3.095  | 2.775 | .490   | 1.840  |
| 057                | MB3-057(*) | 3.195  | 2.875 | .490   | 1.940  |
| 060                | MB3-060(*) | 3.295  | 2.975 | .490   | 2.040  |
| 063                | MB3-063(*) | 3.395  | 3.075 | .490   | 2.140  |
| 066                | MB3-066(*) | 3.495  | 3.175 | .490   | 2.240  |
| 069                | MB3-069(*) | 3.595  | 3.275 | .490   | 2.340  |
| 072                | MB3-072(*) | 3.695  | 3.375 | .490   | 2.440  |
| 075                | MB3-075(*) | 3.795  | 3.475 | .490   | 2.540  |
| 078                | MB3-078(*) | 3.895  | 3.575 | .490   | 2.640  |
| 081                | MB3-081(*) | 3.995  | 3.675 | .490   | 2.740  |
| 084                | MB3-084(*) | 4.095  | 3.775 | .490   | 2.840  |
| 087                | MB3-087(*) | 4.195  | 3.875 | .490   | 2.940  |
| 090                | MB3-090(*) | 4.295  | 3.975 | .490   | 3.040  |
| 093                | MB3-093(*) | 4.395  | 4.075 | .490   | 3.140  |
| 096                | MB3-096(*) | 4.495  | 4.175 | .490   | 3.240  |
| 099                | MB3-099(*) | 4.595  | 4.275 | .490   | 3.340  |
| 102                | MB3-102(*) | 4.695  | 4.375 | .490   | 3.440  |
| 105                | MB3-105(*) | 4.795  | 4.475 | .490   | 3.540  |
| 108                | MB3-108(*) | 4.895  | 4.575 | .490   | 3.640  |
| 111                | MB3-111(*) | 4.995  | 4.675 | .490   | 3.740  |
| 114                | MB3-114(*) | 5.095  | 4.775 | .490   | 3.840  |
| 117                | MB3-117(*) | 5.195  | 4.875 | .490   | 3.940  |
| 120                | MB3-120(*) | 5.295  | 4.975 | .490   | 4.040  |
| 123                | MB3-123(*) | 5.395  | 5.075 | .490   | 4.140  |
| 126                | MB3-126(*) | 5.495  | 5.175 | .490   | 4.240  |
| 129                | MB3-129(*) | 5.595  | 5.275 | .490   | 4.340  |
| 132                | MB3-132(*) | 5.695  | 5.375 | .490   | 4.440  |
| 135                | MB3-135(*) | 5.795  | 5.475 | .490   | 4.540  |
| 138                | MB3-138(*) | 5.895  | 5.575 | .490   | 4.640  |
| 141                | MB3-141(*) | 5.995  | 5.675 | .490   | 4.740  |
| 144                | MB3-144(*) | 6.095  | 5.775 | .490   | 4.840  |
| 147                | MB3-147(*) | 6.195  | 5.875 | .490   | 4.940  |
| 150                | MB3-150(*) | 6.295  | 5.975 | .490   | 5.040  |
| 153                | MB3-153(*) | 6.395  | 6.075 | .490   | 5.140  |
| 156                | MB3-156(*) | 6.495  | 6.175 | .490   | 5.240  |
| 159                | MB3-159(*) | 6.595  | 6.275 | .490   | 5.340  |
| 162                | MB3-162(*) | 6.695  | 6.375 | .490   | 5.440  |
| 165                | MB3-165(*) | 6.795  | 6.475 | .490   | 5.540  |

| Number of Contacts | MB Number* | A Max. | B      | C Max. | G Min. |
|--------------------|------------|--------|--------|--------|--------|
| 168                | MB3-168(*) | 6.895  | 6.575  | .490   | 5.640  |
| 171                | MB3-171(*) | 6.995  | 6.675  | .490   | 5.740  |
| 174                | MB3-174(*) | 7.095  | 6.775  | .490   | 5.840  |
| 177                | MB3-177(*) | 7.195  | 6.875  | .490   | 5.940  |
| 180                | MB3-180(*) | 7.295  | 6.975  | .490   | 6.040  |
| 183                | MB3-183(*) | 7.395  | 7.075  | .490   | 6.140  |
| 186                | MB3-186(*) | 7.495  | 7.175  | .490   | 6.240  |
| 189                | MB3-189(*) | 7.595  | 7.275  | .490   | 6.340  |
| 192                | MB3-192(*) | 7.695  | 7.375  | .490   | 6.440  |
| 195                | MB3-195(*) | 7.795  | 7.475  | .490   | 6.540  |
| 198                | MB3-198(*) | 7.895  | 7.575  | .490   | 6.640  |
| 201                | MB3-201(*) | 7.995  | 7.675  | .490   | 6.740  |
| 204                | MB3-204(*) | 8.095  | 7.775  | .490   | 6.840  |
| 207                | MB3-207(*) | 8.195  | 7.875  | .490   | 6.940  |
| 210                | MB3-210(*) | 8.295  | 7.975  | .490   | 7.040  |
| 213                | MB3-213(*) | 8.395  | 8.075  | .490   | 7.140  |
| 216                | MB3-216(*) | 8.495  | 8.175  | .490   | 7.240  |
| 219                | MB3-219(*) | 8.595  | 8.275  | .490   | 7.340  |
| 222                | MB3-222(*) | 8.695  | 8.375  | .490   | 7.440  |
| 225                | MB3-225(*) | 8.795  | 8.475  | .490   | 7.540  |
| 228                | MB3-228(*) | 8.895  | 8.575  | .490   | 7.640  |
| 231                | MB3-231(*) | 8.995  | 8.675  | .490   | 7.740  |
| 234                | MB3-234(*) | 9.095  | 8.775  | .490   | 7.840  |
| 237                | MB3-237(*) | 9.195  | 8.875  | .490   | 7.940  |
| 240                | MB3-240(*) | 9.295  | 8.975  | .490   | 8.040  |
| 243                | MB3-243(*) | 9.395  | 9.075  | .490   | 8.140  |
| 246                | MB3-246(*) | 9.495  | 9.175  | .490   | 8.240  |
| 249                | MB3-249(*) | 9.595  | 9.275  | .490   | 8.340  |
| 252                | MB3-252(*) | 9.695  | 9.375  | .490   | 8.440  |
| 255                | MB3-255(*) | 9.795  | 9.475  | .490   | 8.540  |
| 258                | MB3-258(*) | 9.895  | 9.575  | .490   | 8.640  |
| 261                | MB3-261(*) | 9.995  | 9.675  | .490   | 8.740  |
| 264                | MB3-264(*) | 10.095 | 9.775  | .490   | 8.840  |
| 267                | MB3-267(*) | 10.195 | 9.875  | .490   | 8.940  |
| 270                | MB3-270(*) | 10.295 | 9.975  | .490   | 9.040  |
| 273                | MB3-273(*) | 10.395 | 10.075 | .490   | 9.140  |
| 276                | MB3-276(*) | 10.495 | 10.175 | .490   | 9.240  |
| 279                | MB3-279(*) | 10.595 | 10.275 | .490   | 9.340  |
| 282                | MB3-282(*) | 10.695 | 10.375 | .490   | 9.440  |
| 285                | MB3-285(*) | 10.795 | 10.475 | .490   | 9.540  |
| 288                | MB3-288(*) | 10.895 | 10.575 | .490   | 9.640  |
| 291                | MB3-291(*) | 10.995 | 10.675 | .490   | 9.740  |
| 294                | MB3-294(*) | 11.095 | 10.775 | .490   | 9.840  |
| 297                | MB3-297(*) | 11.195 | 10.875 | .490   | 9.940  |
| 300                | MB3-300(*) | 11.295 | 10.975 | .490   | 10.040 |

\*See How to Order, pages 5, 6 and 7

# Low Mating Force

## mother board connector

### 4 row contact arrangements

| Number of Contacts | MB Number* | A Max. | B     | C Max. | G Min. |
|--------------------|------------|--------|-------|--------|--------|
| 040                | MB4-040(*) | 2.295  | 1.975 | .590   | 1.040  |
| 044                | MB4-044(*) | 2.395  | 2.075 | .590   | 1.140  |
| 048                | MB4-048(*) | 2.495  | 2.175 | .590   | 1.240  |
| 052                | MB4-052(*) | 2.595  | 2.275 | .590   | 1.340  |
| 056                | MB4-056(*) | 2.695  | 2.375 | .590   | 1.440  |
| 060                | MB4-060(*) | 2.795  | 2.475 | .590   | 1.540  |
| 064                | MB4-064(*) | 2.895  | 2.575 | .590   | 1.640  |
| 068                | MB4-068(*) | 2.995  | 2.675 | .590   | 1.740  |
| 072                | MB4-072(*) | 3.095  | 2.775 | .590   | 1.840  |
| 076                | MB4-076(*) | 3.195  | 2.875 | .590   | 1.940  |
| 080                | MB4-080(*) | 3.295  | 2.975 | .590   | 2.040  |
| 084                | MB4-084(*) | 3.395  | 3.075 | .590   | 2.140  |
| 088                | MB4-088(*) | 3.495  | 3.175 | .590   | 2.240  |
| 092                | MB4-092(*) | 3.595  | 3.275 | .590   | 2.340  |
| 096                | MB4-096(*) | 3.695  | 3.375 | .590   | 2.440  |
| 100                | MB4-100(*) | 3.795  | 3.475 | .590   | 2.540  |
| 104                | MB4-104(*) | 3.895  | 3.575 | .590   | 2.640  |
| 108                | MB4-108(*) | 3.995  | 3.675 | .590   | 2.740  |
| 112                | MB4-112(*) | 4.095  | 3.775 | .590   | 2.840  |
| 116                | MB4-116(*) | 4.195  | 3.875 | .590   | 2.940  |
| 120                | MB4-120(*) | 4.295  | 3.975 | .590   | 3.040  |
| 124                | MB4-124(*) | 4.395  | 4.075 | .590   | 3.140  |
| 128                | MB4-128(*) | 4.495  | 4.175 | .590   | 3.240  |
| 132                | MB4-132(*) | 4.595  | 4.275 | .590   | 3.340  |
| 136                | MB4-136(*) | 4.695  | 4.375 | .590   | 3.440  |
| 140                | MB4-140(*) | 4.795  | 4.475 | .590   | 3.540  |
| 144                | MB4-144(*) | 4.895  | 4.575 | .590   | 3.640  |
| 148                | MB4-148(*) | 4.995  | 4.675 | .590   | 3.740  |
| 152                | MB4-152(*) | 5.095  | 4.775 | .590   | 3.840  |
| 156                | MB4-156(*) | 5.195  | 4.875 | .590   | 3.940  |
| 160                | MB4-160(*) | 5.295  | 4.975 | .590   | 4.040  |
| 164                | MB4-164(*) | 5.395  | 5.075 | .590   | 4.140  |
| 168                | MB4-168(*) | 5.495  | 5.175 | .590   | 4.240  |
| 172                | MB4-172(*) | 5.595  | 5.275 | .590   | 4.340  |
| 176                | MB4-176(*) | 5.695  | 5.375 | .590   | 4.440  |
| 180                | MB4-180(*) | 5.795  | 5.475 | .590   | 4.540  |
| 184                | MB4-184(*) | 5.895  | 5.575 | .590   | 4.640  |
| 188                | MB4-188(*) | 5.995  | 5.675 | .590   | 4.740  |
| 192                | MB4-192(*) | 6.095  | 5.775 | .590   | 4.840  |
| 196                | MB4-196(*) | 6.195  | 5.875 | .590   | 4.940  |
| 200                | MB4-200(*) | 6.295  | 5.975 | .590   | 5.040  |
| 204                | MB4-204(*) | 6.395  | 6.075 | .590   | 5.140  |
| 208                | MB4-208(*) | 6.495  | 6.175 | .590   | 5.240  |
| 212                | MB4-212(*) | 6.595  | 6.275 | .590   | 5.340  |
| 216                | MB4-216(*) | 6.695  | 6.375 | .590   | 5.440  |
| 220                | MB4-220(*) | 6.795  | 6.475 | .590   | 5.540  |

| Number of Contacts | MB Number* | A Max. | B      | C Max. | G Min. |
|--------------------|------------|--------|--------|--------|--------|
| 224                | MB4-224(*) | 6.895  | 6.575  | .590   | 5.640  |
| 228                | MB4-228(*) | 6.995  | 6.675  | .590   | 5.740  |
| 232                | MB4-232(*) | 7.095  | 6.775  | .590   | 5.840  |
| 236                | MB4-236(*) | 7.195  | 6.875  | .590   | 5.940  |
| 240                | MB4-240(*) | 7.295  | 6.975  | .590   | 6.040  |
| 244                | MB4-244(*) | 7.395  | 7.075  | .590   | 6.140  |
| 248                | MB4-248(*) | 7.495  | 7.175  | .590   | 6.240  |
| 252                | MB4-252(*) | 7.595  | 7.275  | .590   | 6.340  |
| 256                | MB4-256(*) | 7.695  | 7.375  | .590   | 6.440  |
| 260                | MB4-260(*) | 7.795  | 7.475  | .590   | 6.540  |
| 264                | MB4-264(*) | 7.895  | 7.575  | .590   | 6.640  |
| 268                | MB4-268(*) | 7.995  | 7.675  | .590   | 6.740  |
| 272                | MB4-272(*) | 8.095  | 7.775  | .590   | 6.840  |
| 276                | MB4-276(*) | 8.195  | 7.875  | .590   | 6.940  |
| 280                | MB4-280(*) | 8.295  | 7.975  | .590   | 7.040  |
| 284                | MB4-284(*) | 8.395  | 8.075  | .590   | 7.140  |
| 288                | MB4-288(*) | 8.495  | 8.175  | .590   | 7.240  |
| 292                | MB4-292(*) | 8.595  | 8.275  | .590   | 7.340  |
| 296                | MB4-296(*) | 8.695  | 8.375  | .590   | 7.440  |
| 300                | MB4-300(*) | 8.795  | 8.475  | .590   | 7.540  |
| 304                | MB4-304(*) | 8.895  | 8.575  | .590   | 7.640  |
| 308                | MB4-308(*) | 8.995  | 8.675  | .590   | 7.740  |
| 312                | MB4-312(*) | 9.095  | 8.775  | .590   | 7.840  |
| 316                | MB4-316(*) | 9.195  | 8.875  | .590   | 7.940  |
| 320                | MB4-320(*) | 9.295  | 8.975  | .590   | 8.040  |
| 324                | MB4-324(*) | 9.395  | 9.075  | .590   | 8.140  |
| 328                | MB4-328(*) | 9.495  | 9.175  | .590   | 8.240  |
| 332                | MB4-332(*) | 9.595  | 9.275  | .590   | 8.340  |
| 336                | MB4-336(*) | 9.695  | 9.375  | .590   | 8.440  |
| 340                | MB4-340(*) | 9.795  | 9.475  | .590   | 8.540  |
| 344                | MB4-344(*) | 9.895  | 9.575  | .590   | 8.640  |
| 348                | MB4-348(*) | 9.995  | 9.675  | .590   | 8.740  |
| 352                | MB4-352(*) | 10.095 | 9.775  | .590   | 8.840  |
| 356                | MB4-356(*) | 10.195 | 9.875  | .590   | 8.940  |
| 360                | MB4-360(*) | 10.295 | 9.975  | .590   | 9.040  |
| 364                | MB4-364(*) | 10.395 | 10.075 | .590   | 9.140  |
| 368                | MB4-368(*) | 10.495 | 10.175 | .590   | 9.240  |
| 372                | MB4-372(*) | 10.595 | 10.275 | .590   | 9.340  |
| 376                | MB4-376(*) | 10.695 | 10.375 | .590   | 9.440  |
| 380                | MB4-380(*) | 10.795 | 10.475 | .590   | 9.540  |
| 384                | MB4-384(*) | 10.895 | 10.575 | .590   | 9.640  |
| 388                | MB4-388(*) | 10.995 | 10.675 | .590   | 9.740  |
| 392                | MB4-392(*) | 11.095 | 10.775 | .590   | 9.840  |
| 396                | MB4-396(*) | 11.195 | 10.875 | .590   | 9.940  |
| 400                | MB4-400(*) | 11.295 | 10.975 | .590   | 10.040 |

\*See How to Order, pages 5, 6 and 7