

40KEVD10BFPW

✓ ACTIVE

Corcom KEV

TE Internal #: 4-1609998-3

40A Current Rating, Terminal Block Input, Terminal Block Output,
WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEV,
3-Phase Filters

[View on TE.com >](#)



EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters



Current Rating: 40 A

Input Termination Type: Terminal Block

Output Termination Type: Terminal Block

Wiring Configuration: WYE (4 wire + ground)

Operating Voltage: 520 VAC

Features

Product Type Features

Filtering Requirements	Filtered
Input Termination Type	Terminal Block
Output Termination Type	Terminal Block

Configuration Features

Wiring Configuration	WYE (4 wire + ground)
----------------------	-----------------------

Electrical Characteristics

Leakage Current (Max) (230VAC, 50Hz)	10
Current Rating	40 A
Operating Voltage	520 VAC

Mechanical Attachment

Product Mount Type	Chassis
--------------------	---------

Usage Conditions

Operating Temperature Range	-25 – 85 °C
-----------------------------	-------------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (3% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 4-1609998-1
KEV 16A 2S SP WYE 520VAC



TE Part # 4-1609998-2
KEV 20A 2S SP WYE 520VAC

Also in the Series | Corcom KEV



3-Phase Filters(38)

Customers Also Bought



TE Part #2-6609028-0
30VK6=F7358 S0



TE Part #6609037-1
3EP1=F7169 S0



TE Part #6609048-1
3EQ1=F7258 S0



TE Part #66100-9
III+ SKT,18-16,30AU/FL,STRIP



TE Part #1-6609032-3
10VR1=F7206 S0



TE Part #1-1991253-5
15 WAY LOW COST D SUB BACKSHEL



TE Part #1-480303-0
03P CMNL PLUG HSG F/H NATL



TE Part #61314-1
CMNL SOK 24-18 TPBR



TE Part #2-1393030-2
SSRT-240D25 = PANEL MOUNT,25A, 240VAC



TE Part #1SNA115116R0700
M4/6

Documents

Product Drawings
KEV 40A 2S SP WYE 520VAC

English

CAD Files
Customer View Model
ENG_CVM_CVM_4-1609998-3_B.3d_igs.zip

English

Customer View Model

40KEVD10BFPW

40A Current Rating, Terminal Block Input, Terminal Block Output, WYE (4 wire + ground), Operating Voltage 520 VAC, Corcom KEV, 3-Phase Filters



[ENG_CVM_CVM_4-1609998-3_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1609998-3_B.2d_dxf.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KEV SERIES](#)

English