

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Coupler connector, straight, Screw locking mechanism, M23, number of positions: 17, contact connection type: Socket, shielded: yes, degree of protection: IP67, cable diameter range: 9 mm . .. 13.2 mm, number of positions: 17, connection method: Crimp connection, series: RF, Alternative product in accordance with RoHS II without Exemption 6c (Pb < 0.1 %) item no.: 1242838

Commercial data

Item number	1614004
Packing unit	20 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	ABRAGW
GTIN	4046356443968
Weight per piece (including packing)	109.2 g
Weight per piece (excluding packing)	108.01 g
Country of origin	DE

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Technical data

Notes

Order information:	Order crimp contacts Ø 1 mm separately
--------------------	--

Product properties

Product type	Circular connector (cable-side)
Series	RF
Application	Feedback, signal
Number of positions	17
Connection profile	17
Shielded	yes
Coding	N
Thread type	M23

Material specifications

Seal material	FPM
Housing material	Metal
Housing material	High-grade steel 1.4305

Connection data

Conductor connection	
Connection method	Crimp connection

Electrical properties

Contact	
Contact diameter	1 mm
Max. current	8 A
Nominal voltage U _N	48 V AC 74 V DC
Overvoltage category	III
Degree of pollution	3
Rated surge voltage	1.5 kV

Connector

Type	straight
Direction of rotation	Counter direction

Connection 1	
Head design	Socket

Cable/line

External cable diameter	9 mm ... 13.2 mm
-------------------------	------------------

Environmental and real-life conditions

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Ambient conditions

Degree of protection	IP67
Ambient temperature (operation)	-20 °C ... 125 °C
Altitude	2000 m

RF-17S2N8A9V03 - Coupler connector




1614004

<https://www.phoenixcontact.com/us/products/1614004>

Drawings

Dimensional drawing



Dimensional drawing

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1614004>

 cUL Recognized Approval ID: E153698-20090723				
	Nominal voltage U _N	Nominal current I _N	Cross section AWG	Cross section mm ²
	48 V	1 A	26 - 26	-

 UL Recognized Approval ID: E153698-20090723				
	Nominal voltage U _N	Nominal current I _N	Cross section AWG	Cross section mm ²
	48 V	1 A	26 - 26	-

cULus Recognized				
-------------------------	--	--	--	--

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Classifications

ECLASS

ECLASS-11.0	27440102
ECLASS-12.0	27440116
ECLASS-13.0	27440116

ETIM

ETIM 9.0	EC002635
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c)

China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	3e14da4a-c592-4ef0-a5ec-848c8a4bd61e

RF-17S2N8A9V03 - Coupler connector



1614004

<https://www.phoenixcontact.com/us/products/1614004>

Accessories

PROT-M23PRO-OT-IP20 - Plastic protective cap

1055753

<https://www.phoenixcontact.com/us/products/1055753>

Plastic protective cap, M23, degree of protection: IP20, series: M23 PRO



Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com