




DRAWN	J.CLARK		DATE	18/04/2016		3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER:				91LC SERIES				 Polamco 	
SALES APPR			DATE	18/04/2016			TITLE:				SPRING TERMINATION BACKSHELL					
DESIGN APPR					UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	ASSY USED ON: MIL-DTL-5015										
PROD APPR						THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		SHT	DRAWING NO:			
QUAL APPR					MATERIAL SEE PART NUMBER BREAKDOWN FINISH SEE PART NUMBER BREAKDOWN						1	P11318				
ISSUE	REV.	DCR		6224												
4																
NCAGE CODE U5792				WEIGHT												

TABLE 1

SHELL SIZE	A THREAD	ØB MAX	ØT MIN	C ±0,5	D MAX	E MAX	F MAX	K ±0,5	L MAX
10SL	9/16 - 24UNEF	21,0	11,4	19,8	26,9	27,2	32,7	17,9	31,9
12/12S	5/8 -24UNEF	23,0	12,6	19,8	27,3	28,1	32,5	18,5	31,9
14/14S	3/4 - 20UNEF	26,0	15,1	20,8	28,2	33,2	35,5	20,9	31,9
16/16S	7/8 - 20UNEF	30,5	18,9	21,4	29,0	36,2	37,4	22,9	31,9
18	1 - 20UNEF	34,0	21,6	22,1	29,3	39,7	39,0	24,4	31,9
20	1 1/8 - 18UNEF	37,0	24,5	22,8	30,1	43,2	41,6	25,9	31,9
22	1 1/4 - 18UNEF	40,0	27,9	23,4	30,5	45,7	42,1	27,4	31,9
24	1 3/8 - 18UNEF	43,5	30,5	24,0	31,4	48,7	43,6	28,9	36,2
28	1 5/8 - 18UNEF	50,0	34,9	25,1	32,3	54,2	46,1	31,4	41,2
32	1 7/8- 16UN	56,0	41,4	30,0	33,2	60,3	48,6	34,1	41,2
36	2 1/8 -16UN	64,0	48,4	29,0	34,0	69,6	52,3	38,9	41,2
40	2 3/8 - 16UN	69,5	54,0	31,5	35,1	74,1	54,8	40,4	41,2

TABLE 2

ENTRY SIZE	G MIN	H MAX	SPRING REF:
03	4,7	13,9	HE050
04	6,3	13,9	HE050
05	7,9	15,5	HE100
06	9,5	17,2	HE100
07	11,1	18,7	HE100
08	12,7	20,3	HE200
09	14,2	21,9	HE200
10	15,8	23,5	HE200
11	17,4	25,1	HE200
12	19,0	26,7	HE300
13	20,6	28,3	HE300
14	22,2	29,9	HE300
15	23,8	31,5	HE300
16	25,4	33,1	HE300
17	27,0	34,7	HE400
18	28,6	36,3	HE400
19	30,2	37,9	HE400
20	31,8	39,5	HE400
21	33,3	41,1	HE400
22	35,0	42,7	HE400
23	36,5	44,3	HE400
24	38,1	45,9	HE400

TABLE 3

SPRING REF	J MAX (UNCONSTRAINED)
HE 050	7,5
HE 100	9,1
HE 200	12,8
HE 300	17,9
HE 400	21,8

TABLE 4

CODE	FINISH
C	ELECTROLESS NICKEL
B	CADMIUM OLIVE DRAB OVER ELECTROLESS NICKEL
ZB	ZINC COBALT OLIVE DRAB OVER ELECTROLESS NICKEL
ZN	ZINC NICKEL BLACK PASSIVATE OVER ELECTROLESS NICKEL

LIST NOT EXHAUSTIVE, FOR COMPREHENSIVE LIST AND SPECS, SEE WEBSITE

91LC1-16-08-1-C-HE200

SERIES _____
CONNECTOR INTERFACE _____
ANGLE _____
SHELL SIZE (TABLE 1) _____
ENTRY SIZE (TABLE 2) _____
MATERIAL _____
ALUMINIUM ALLOY _____
FINISH (TABLE 4) _____
SPRING REFERENCE (TABLE 2) _____
OMIT IF NO SPRING REQUIRED

DRAWN	J.CLARK		DATE	18/04/2016			PART NUMBER:		91LC SERIES			 Polamco 		
SALES APPR			DATE	18/04/2016			TITLE:		SPRING TERMINATION BACKSHELL					
DESIGN APPR					UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	ASSY USED ON:		MIL-DTL-5015		THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.	POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		SHT	DRAWING NO:
PROD APPR						MATERIAL		SEE PART NUMBER BREAKDOWN			2		P11318	
QUAL APPR					FINISH	SEE PART NUMBER BREAKDOWN								
ISSUE	REV.	DCR		6224										
4														
NCAGE CODE U5792			WEIGHT											

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[91LC3-16-11-1-B-HE200](#) [91LC3-28-13-1-B](#) [91LC3-28-15-1-B-HE300](#)