

ANT-418-CW-HW-SMA

✓ ACTIVE

TE Internal #: ANT-418-CW-HW-SMA
Terminal/Duck Antenna, Single Band, Cat-M/NB-IoT / Cellular,
External Mount, Stud/Screw/Lug Mount, SMA, Omnidirectional,
Single Port, Gain 0 < 3 dBi
[View on TE.com >](#)



Antennas



Wireless Application: Cat-M/NB-IoT, Cellular
Mounting Location: External
Mounting Type: Stud/Screw/Lug Mount
Frequency Category: 410 – 470
Antenna Type: Terminal/Duck

Features

Product Type Features

Antenna Termination	SMA
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Whip
Mounting Location	External
Antenna Type	Terminal/Duck
Band Type	Single Band
Port Configuration	Single Port

Electrical Characteristics

VSWR (Max)	<2.1:1
Impedance	50 Ω

Signal Characteristics

Gain (Max)	0 dB
Frequency Band	418 MHz
Frequency Category	410 – 470
Peak Gain	0 < 3 dBi

Body Features

Product Weight	12.39 g[.43703 oz]
----------------	--------------------



Mechanical Attachment

Polarization	Linear
Mounting Type	Stud/Screw/Lug Mount

Dimensions

Product Width	10.7 mm[.42 in]
Product Length	120 mm[4.72 in]
Product Height	0 mm[0 in]

Operation/Application

Antenna Environment	Outdoor
Directionality	Omnidirectional

Industry Standards

Wireless Application	Cat-M/NB-IoT, Cellular
Primary Application	Cat-M/NB-IoT, Cellular

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An





Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

 TE Part # CONSMA001 SMA Jack 50 Ohm PCB Through Hole	 TE Part # CONSMA002-L-G SMA Jack 50 Ohm PCB Through Hole	 TE Part # CONSMA002-SMD-G SMA Jack 50 Ohm PCB Surface Mount	 TE Part # CONSMA008-G SMA Jack 50 Ohm Through Hole PCB
---	---	--	---

Customers Also Bought

 TE Part #4525-DS5A001DP PCB MOUNTED ANALOG PRESSURE SENSOR	 TE Part #6609009-4 20EJH1=F7894A S0	 TE Part #2823064-1 M12-DUST CAP-FEMALE CONN-IP67-W/O SLEEVE	 TE Part #5748270-2 FEMALE SCREWLOCK,ZN PLTD
 TE Part #2-35108-1 TERMINAL,PIDG R 12-10 8	 TE Part #YDTS26F09-35SNV001 PLUG ASSY	 TE Part #ANT-418-CW-HD Antenna 1/4 Wave HD Whip 418MHz RPS	 TE Part #ANT-418-CW-HWR-SMA Antenna 1/4 Wave Whip Swivel 418MHz SMA
 TE Part #3-1393310-7 VCF4-1001=CONNECTOR,HOUSING			

Documents

Product Drawings
Antenna 1/4 Wave Whip 418MHz SMA
English



CAD Files

Customer View Model

ENG_CVM_CVM_ANT-418-CW-HW-SMA_A.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_ANT-418-CW-HW-SMA_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_ANT-418-CW-HW-SMA_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

ANT-418-CW-HW

English