



Part Number : [2078450006](#)
Product Description : KK Plus 250 Terminal
Position Assurance (TPA) Retainer, 6 Circuits,
Natural
Series Number : 207845
Status : Active
Product Category : Connector Accessories



Documents & Resources

Drawings

[Drawing 2078450006_sd.pdf](#)
[Packaging Design Drawing 2078450000-PK-000.pdf](#)

3D Models and Design Files


[3D Model 2078450006_stp.zip](#)

Specifications

[Application Specification 2079020001-AS-000.pdf](#)
[Product Specification 2079020001-PS-000.pdf](#)
[Product Specification 2079020001-PS-CH-000.pdf](#)
[Product Specification 2079020001-PS-ES-000.pdf](#)
[Product Specification 2079020001-PS-JP-000.pdf](#)
[Product Specification 2079020001-PS-SK-000.pdf](#)
[Test Summary 2079020000-TS-000.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

[Multiple Part Product Compliance Statements](#)
- Eu RoHS

- REACH SVHC

- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D

- Molex Product Compliance Declaration

- IEC-62474

- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Accessories
Series	207845
Description	KK Plus 250 Terminal Position Assurance (TPA) Retainer, 6 Circuits, Natural
Component Type	Terminal Position Assurance
Product Family	KK Interconnect Systems
Product Name	KK Plus
UPC	191130124046

Agency

CSA	152514
-----	--------

Physical

Circuits (Loaded)	6
Circuits (maximum)	6
Color - Resin	Natural
Flammability	94V-0
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	0.097/g
Number of Rows	1
Packaging Type	Bag

Temperature Range - Operating	-40° to +105°C
-------------------------------	----------------

Use with Part(s)

Description	Part Number
KK Plus 250 Receptacle Housing, 2.50mm Pitch, Single Row, 6 Circuits, UL 94V-0, Black, Glow- Wire Capable	<u>2078410006</u>