

ADP-SMAF-SMBM-G

✓ ACTIVE

TE Internal #: ADP-SMAF-SMBM-G
Between Series Adapter, Straight, SMA, Jack Side A, SMB, Plug
Side B, 1 Position
[View on TE.com >](#)



Connectors > Connector Accessories > Connector Adapters & Connector Savers



Connector Interface Adapter Type: **Between Series Adapter**
Body Orientation: **Straight**
Side A Interface: **SMA**
Side A Gender: **Jack**
Side B Interface: **SMB**

Features

Product Type Features

Connector Interface Adapter Type	Between Series Adapter
Side A Interface	SMA
Side A Gender	Jack
Side B Interface	SMB
Side B Gender	Plug

Configuration Features

Number of Positions	1
---------------------	---

Electrical Characteristics

Impedance	50 Ω
-----------	------

Body Features

Body Plating Material	Nickel
Body Material	Brass

Contact Features

RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper

Housing Features

Body Orientation	Straight
------------------	----------

Usage Conditions



Operating Temperature Range	-65 – 165 °C[-85 – 329 °F]
-----------------------------	----------------------------

Operation/Application

Operating Frequency	0 – 4 GHz
---------------------	-----------

Other

Dielectric Material	PTFE
---------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





TE Part # CONSMA007-G
SMA Plug 50 Ohm Cable Crimp



TE Part # CONSMA007-R178
SMA Plug 50 Ohm Cable Crimp



TE Part # CONSMA007-R58
SMA Plug 50 Ohm Cable Crimp



TE Part # CONSMA011-G
SMA Jack 50 Ohm Cable Crimp

Customers Also Bought



TE Part #5222006-1
RECEPTACLE,PRESS FIT,COML BNC



TE Part #8-34130-1
SPLC,SOLIS PARA 22-16C,22-18M



TE Part #2081888-1
EP-SMA,ADAPTER,STRAIGHT,27GHZ, F TO M



TE Part #515632-E
M12 MALE, UNI CODE, 8P, 10.5MM SMT, DI



TE Part #1-2201197-0
0.4 STACKING CONN H0.98 REC ASSEMBLY



TE Part #1-2204749-8
ELCON MICRO,RECEPTACLE, CONTACT, TIN



TE Part #474329-E
M12 MALE, UNI CODE, 4P, 10.5MM SMT, DI



TE Part #494166-E
M12 FEMALE, A CODE, 8P, 17MM SMT



TE Part #ADP-SMAM-SMBF-G
SMA Plug to SMB Jack



TE Part #ADP-SMAM-SMBM-G
SMA Plug to SMB Plug

Documents

Product Drawings
SMA Jack to SMB Plug
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_ADP-SMAF-SMBM-G_A1.2d_dxf.zip



English

Customer View Model

ENG_CVM_CVM_ADP-SMAF-SMBM-G_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_ADP-SMAF-SMBM-G_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SMA Jack to SMB Plug Adapter

English