

Part Number: 1300250503

Product Description: Mini-Change A-Size Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), Gray DeviceNet Thin High Flex Cable, 2.0m (6.56') Length

Series Number: 130025

Status: Active

Product Category: Circular Industrial

Cordsets

Engineering Number: DNDF11A-M020



Documents & Resources

Drawings

1300250503_sd.pdf

Product Environment Compliance

Compliance

| GADSL/IMDS | Not Relevant |
|--------------------|---|
| China RoHS | 6 |
| EU ELV | Not Relevant |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2- 21 |
| REACH SVHC | Contains Lead; bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof per D(2024)4144-DC (27 June 2024) |
| EU RoHS | Compliant with Exemption 6(c) per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| Status | Active |
|--------------|--|
| Category | Circular Industrial Cordsets |
| Series | 130025 |
| Description | Mini-Change A-Size Double-Ended Cordset, 5 Poles, Male (Straight) to Female (Straight), Gray DeviceNet Thin High Flex Cable, 2.0m (6.56') Length |
| IP Rating | IP67 |
| Product Name | DeviceNet Trunk,Mini-Change |
| Region | Europe |
| Type | Double Ended |
| UPC | 78678876746 |

Agency

Electrical

| Current - Maximum per Contact | 4.0A |
|-------------------------------|------------|
| Voltage - Maximum | 300V AC/DC |

Physical

| Cable Diameter | 7.62mm (.300") |
|----------------------|----------------|
| Cable Length | 2.0m (6.56') |
| Color - Cable Jacket | Gray |
| Connector End A | Mini-Change |
| Connector End B | Mini-Change |
| Coupling Style | Threaded |
| Gender | Female-Male |

| Keyway | Single |
|-------------------------------|-----------------------|
| LED Indicator | No |
| Material - Cable Jacket | TPE |
| Material - Connector Body | TPE |
| Material - Contact | Brass |
| Material - Coupling Nut | Zinc Die-Cast |
| Material - Plating Mating | Gold |
| Net Weight | 137.990/g |
| Orientation | Straight to Straight |
| Poles | 5 |
| Temperature Range - Operating | -20° to +80°C |
| Wire/Cable Type | Thin Flex-Rated Cable |
| Wire Size (AWG) | 22 |

This document was generated on Oct 29, 2024