



SPLICE

TE Internal #: 60372-1
Pigtail Splice / Thru Splice, Serrated, 1200 – 2600 CMA Wire Size,
Brass, 4 Serration, Length 4.78 mm [.188 in], Reel, Open, SPLICE,
Splices

[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Pigtail Splice, Thru Splice**
Sealable: **No**
Splice Features: **Serrated**
Wire Size: **1200 – 2600 CMA**
Contact Base Material: **Brass**

Features

Product Type Features

Splice Type	Pigtail Splice, Thru Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Serrations	4
Compatible With Wire & Cable Type	Discrete Wire

Body Features

Product Weight	.137 g
Splice Features	Serrated

Contact Features

Contact Base Material	Brass
Barrel Type	Open



Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	1200 – 2600 CMA
Terminal Material Thickness	.5 mm[.02 in]
Product Length	4.78 mm[.188 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Packaging Features

Packaging Quantity	12000
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 62759-1
[SPLICE 400-1300 .016 BR](#)



TE Part # 62754-1
[SPLICE 14000-30000 .030 BR](#)



TE Part # 62382-1
[SPLICE 25/26 .012 BR](#)



TE Part # 2837839-1
[OCEAN-2.0-APPLICATOR-S-090F-RSM](#)



TE Part # 2837839-2
[OCEAN-2.0-APPLICATOR-S-090F-RSA](#)



TE Part # 7-2837839-7
[OCEAN_2.0_SPARE_PART_KIT-090F](#)

Also in the Series | SPLICE



[Crimp Wire Pins, Tabs & Ferrules\(1\)](#)



[Splices\(64\)](#)

Customers Also Bought



TE Part #770849-2
02P SL156 HSG W/LCK RMP & TABS



TE Part #640252-2
SL-156 RECEPTACLE



TE Part #640582-1
08P UMNL PLUG HSG



TE Part #321021
PIDG RING (26-22)



TE Part #41580
RING TERMINAL 24-20 AWG TPBR



TE Part #4-520447-2
ULTRA-FAST 250 ASY REC 12-10 AWG TPBR




TE Part #292180-1
CAP ASS'Y W/O COMMONING TAB FO



TE Part #2-320567-2
TERMINAL,PIDG R 12-10 6



TE Part #66100-3
III+ SKT,18-16,15AU/FL,STRIP



TE Part #3-770060-1
MINI AMP-IN PTLP/PHBZ

Documents

Product Drawings
SPLICE 1200-2600 .020 BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_60372-1_T_c-60372-1-t.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_60372-1_T_c-60372-1-t.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_60372-1_T_c-60372-1-t.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Agency Approvals

CSA Certificate

English