

# WIREFOX SAC-1 - Stripping tool

1212757

<https://www.phoenixcontact.com/us/products/1212757>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping pliers, for halogen-free sensor/actuator cables (SAC cables), with PUR and PVC insulation, from Ø of 3.2 to 4.4 mm, any stripping length

## Your advantages

- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

## Commercial data

|                                      |                     |
|--------------------------------------|---------------------|
| Item number                          | 1212757             |
| Packing unit                         | 1 pc                |
| Minimum order quantity               | 1 pc                |
| Sales key                            | BH31                |
| Product key                          | BH3121              |
| Catalog page                         | Page 408 (C-3-2019) |
| GTIN                                 | 4046356948487       |
| Weight per piece (including packing) | 167.6 g             |
| Weight per piece (excluding packing) | 167.6 g             |
| Customs tariff number                | 82032000            |
| Country of origin                    | DE                  |

# WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Stripping tool

Application

Standard

PUR

TPE

### Connection data

#### Conductor connection

Cross section range, metric

2.5 mm<sup>2</sup> ... 4 mm<sup>2</sup>

Cross section range AWG

14 ... 12

Stripping length

100 mm

### Dimensions

Length

165 mm

### Material specifications

Color

black

### Cable/line

External cable diameter

3.2 mm ... 4.4 mm

# WIREFOX SAC-1 - Stripping tool


1212757

<https://www.phoenixcontact.com/us/products/1212757>



## Drawings

Schematic diagram



# WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

## Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212757>



**EAC**

Approval ID: RU x-DE.xx08.B.02974

# WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 21043706 |
| ECLASS-12.0 | 21043706 |
| ECLASS-13.0 | 21043706 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002109 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 27111500 |
|-------------|----------|

# WIREFOX SAC-1 - Stripping tool



1212757  
<https://www.phoenixcontact.com/us/products/1212757>

## Environmental product compliance

|                                         |                                                                                     |
|-----------------------------------------|-------------------------------------------------------------------------------------|
| EU RoHS                                 |                                                                                     |
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
| EU REACH SVHC                           |                                                                                     |
| REACH candidate substance (CAS No.)     | No substance above 0.1 wt%                                                          |

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)