

Contact insert - HC-B 16-ESTQ-2,5-32-OLOGO - 1605658

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Male insert, for double-row arrangement, QUICKON connection



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 017918 940867
GTIN	4017918940867

Technical data

Ambient conditions

A self-self-second self-self-self-self-self-self-self-self-	40 °C 125 °C
Ambient temperature (operation)	-40 °C 125 °C
	•

General

Note	For HEAVYCON-ADVANCE housing of B16 type and HEAVYCON housing of B16/B32 type. Encoding using coding profile CP-HC (1686478). HC-B6/ HC-B10 for two coding profiles. HC-B16/ HC-B24 for four coding profiles. Connectors may only be actuated when there is no load/voltage.	
	Connectors may be operated only when there is no load/voltage.	
Size	B16	
	B32	
Number of positions	32	
Flammability rating according to UL 94	V0	
Assembly instructions	To ensure correct use, installation in housing with IP54 protection or better is required	
Connection	For housings of type B16/B32. Connectors may only be actuated when there is no load/voltage.	

Standards and Regulations




Contact insert - HC-B 16-ESTQ-2,5-32-OLOGO - 1605658

Technical data


Standards and Regulations

Floring Strip and the second strip to the O.	140
Flammability rating according to UL 94	V0

Drawings




Dimensional drawing



Male insert

The figure shows the derating diagram of various series B contact inserts (B6 to B24), conductor cross section 2.5 mm²

Dimensional drawing



Mounting cutout when used without housing

Approvals

Approvals

Approvals

EAC


Ex Approvals

Approval details



Contact insert - HC-B 16-ESTQ-2,5-32-OLOGO - 1605658

Approvals



Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300

Fax +49 5235 3 41200

http://www.phoenixcontact.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Phoenix Contact: 1605658