

TE Internal #: 328307

Closed End Splice, Serrated, .509 – 3.248 kcmil Wire Size, 509 –

3248 CMA Wire Size, Copper, Red, 12 Serration, Length 11.3 mm [.

445 in], Splices

View on TE.com >



Terminals & Splices > Splices











Splice Type: Closed End Splice

Sealable: No

Splice Features: **Serrated**Wire Size: **509 – 3248 CMA**

Features

Product Type Features

| Splice Type Closed End Splice | |
|--|--|
| | |
| Sealable | |
| Compatible With Discrete Wire Type Solid, Stranded | |
| Wire Insulation Support Retention Type Non-Insulation Support | |

Configuration Features

| Number of Serrations | 12 |
|-----------------------------------|---------------|
| Compatible With Wire & Cable Type | Discrete Wire |

Body Features

| Insulation Type | Pre-Insulated |
|-----------------------|---------------|
| Insulation Material | Nylon |
| Splice Features | Serrated |
| Primary Product Color | Red |

Contact Features

| Military Part Class | Class I | |
|---------------------|---------|--|
|---------------------|---------|--|



| Contact Base Material | Copper |
|------------------------------------|------------------|
| Barrel Type | Closed |
| Mechanical Attachment | |
| Wire Insulation Support | Without |
| Dimensions | |
| Wire Size | 509 – 3248 CMA |
| Terminal Material Thickness | .61 mm[.024 in] |
| Product Length | 11.3 mm[.445 in] |
| Usage Conditions | |
| Insulation Option | Fully Insulated |
| Operating Temperature Range | 105 °C[221 °F] |
| Operation/Application | |
| Compatible With Wire Base Material | Copper |
| Industry Standards | |
| Government Qualified Splice | Yes |
| Packaging Features | |
| Packaging Quantity | 1000 |

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |
| | |

Loose Piece

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts








































Customers Also Bought



TE Part #1577639-1
TERMINAL RT PIDG PEEK STRATO 1412 AWG



TE Part #1577623-1
TERMINAL, PEEK PIDG STRATO,
20AWG



TE Part #1577620-1 TERMINAL RT PIDG PEEK STRATO 24-22 AWG





TE Part #1577640-1 TERMINAL RT PIDG PEEK STRATO 14-12 AWG



TE Part #1577632-1
TERMINAL RT PIDG PEEK STRATO 1816 AWG



TE Part #1577646-1 TERMINAL RT PIDG PEEK STRATO 10 AWG



12 AWG

TE Part #200980-000 B-013-11CS2689

TE Part #C01609-000 NSA937901E6

Documents

Product Drawings
SPARE WIRE CAP,RED 22-18 AWG

English

CAD Files

3D PDF

English

Customer View Model ENG_CVM_328307_F.2d_dxf.zip

Closed End Splice, Serrated, .509 – 3.248 kcmil Wire Size, 509 – 3248 CMA Wire Size, Copper, Red, 12 Serration, Length 11.3 mm [.445 in], Splices



English

Customer View Model

ENG_CVM_328307_F.3d_igs.zip

English

Customer View Model

ENG_CVM_328307_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

Instruction Sheet (U.S.)

English