# 182-0003-08 ACTIVE

#### **DEUTSCH**

TE Internal #: ZPF000000000001905 Socket Contact, Gold, 115 VAC, 115 VDC, Spring Contact Retention, Size 8 Contact Size, Discrete Wire, 10 – 8 AWG Wire Size, 5.26 – 8.36 mm<sup>2</sup> Wire Size

View on TE.com >



Connectors > Contacts > Connector Contacts

Contact Type: Socket

Contact Mating Area Plating Material: Gold

Wire Contact Termination Area Plating Material: Gold

Operating Voltage: 115 VDC

#### **Features**

Product Type Features	
Sealable	Yes
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Operating Voltage	115 VDC
Contact Features	
Barrel Type	Closed
Contact Type	Socket
Contact Mating Area Plating Material	Gold
Wire Contact Termination Area Plating Material	Gold
Contact Retention Within Housing	With
Contact Size	Size 8
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	46 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable
Mechanical Attachment	
Contact Retention Type Within Housing	Spring
Dimensions	

5.26 – 8.36 mm<sup>2</sup>

Wire Size



#### **Usage Conditions**

Operating Temperature Range	-65 – 175 °C[-85 – 347 °F]
Operation/Application	
Circuit Application	Power

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) SVHC > Threshold: Pb (1.2% in alloy) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Customers Also Bought







KIT, BTLI, HEAVY HEAD





TE Part #ZPF000000000101626 787-0016-00

TE Part #ZPF000000000098994

BATTERY CONNECTOR TYPE 430

FOR AIRBUS

TE Part #ZPF000000000122999 182-2128-08 TE Part #ZPF000000000206040 D-EASY 04 C-W

TE Part #ZPF40000000136256 983-0SE 20-04 SV-L-A1325



## **Documents**

Datasheets & Catalog Pages

DEUTSCH High Power Contacts for MIL-DTL-5015

English