

SC5191 DATA SHEET

SMP Male PCB Connector Thru Hole Solder Attachment Up To 8 GHz Full Detent

Configuration

Connector SMP Male

Electrical Specifications*

Description	Min	Тур	Max	Units		
Frequency Range	DC		8	GHz		
Impedance		50		Ohms		
VSWR			1.1:1			

^{*} Values at 25°C, sea level

Mechanical Specifications

Temperature

Operating Range -55 to +155 deg C

Size

 Length
 0.279 in [7.09 mm]

 Width/Dia.
 0.236 in [5.99 mm]

 Height
 0.236 in [5.99 mm]

Connector

Type SMP Male
Mating Cycles 100
Contact Material and Plating Beryllium Copper, Gold
Contact Plating Specification MIL-DTL-45204
Body Material and Plating Brass, Gold
Body Plating Specification MIL-DTL-45204
Dielectric Type PEI

Compliance Certifications (visit www.FairviewMicrowave.com for current document)

RoHS Compliant Yes



Features:

• Specification: MIL-STD-348A

Interface: Thru HoleAttachment: SolderBody Style: Straight

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689





Plotted and Other Data

Notes:

Values at +25 °C, sea level


SMP Male PCB Connector Thru Hole Solder Attachment Up To 8 GHz Full Detent from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: SMP Male PCB Connector Thru Hole Solder Attachment Up To 8 GHz Full Detent SC5191

URL: http://www.fairviewmicrowave.com/smp-male-standard-thru-hole-pcb-connector-sc5191-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





MOUNTING HOLE

NOTE: ALL TOLERANCES ARE ± 0.005 [.127] UNLESS OTHERWISE SPECIFIED.

FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. 3. DIMENSIONS ARE IN INCHES [mm].					
SMP Male PCB Connector Thru Hole Solder Attachme	DWG NO SC5191			CAGE CODE 3FKR5		
Up To 8 GHz Full Detent	CAD FILE 082114	SHEET	SCALE	N/A	SIZE A	2233