



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Sealing Boot**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Red**

Sealable: **No**

Operating Temperature Range: **-65 – 125 °C [-85 – 257 °F]**

Features

Product Type Features

Compatible With RF Cable Type	None
Strain Relief Accessory Type	Sealing Boot
Sealable	No

Body Features

Primary Product Material	Silicone Rubber
Primary Product Color	Red

Contact Features

Compatible With Contact Size	8
------------------------------	---

Dimensions

Wire Size	8 AWG
-----------	-------

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2024
(241)
Candidate List Declared Against: JAN 2024
(240)
Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part #1757820-1
AMPLIMITE,ASY,RCPT,STD,109,ZN,1



TE Part #ZPF000000000100794
DMC-MD 20 C




TE Part #9934510001
HT-SCE-1K-1/8-2.0-9



TE Part #2-36149-4
TERMINAL,PIDG R IR 20 6



TE Part #650127-000
D-436-83




TE Part #324485
SPARE WIRE CAP,RED .080-.115 INS.



TE Part #2302454-9
1-PORT MATENET FRAME,UTP, COD Z



TE Part #D369-STB-3
369 3 WAY BACKSHELL STRAIGHT TIE WRAP



Documents

Product Drawings
BOOT,SEAL,WIRE,12 POS
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1604872-2_O.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1604872-2_O.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1604872-2_O.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
Quadrax Contacts, Connectors and Cables Brochure
English

Product Specifications
Application Specification
English