

Specification Sheet

Part Number: CTM410C2



Cable Tie Anchor Mount, .86" x .62", .25" Hole Dia, .31" Max Tie Width, PA66, White, 100/pkg

|                     |                                                                                                                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 151-30703                                                                                                                                                                                                               |
| Type                | CTM4                                                                                                                                                                                                                    |
| Color               | White (WH)                                                                                                                                                                                                              |
| Features & Benefits | <ul style="list-style-type: none"><li>• Designed for use with 18 through 120 pound cable ties to provide stability when securing bundles.</li><li>• Secures with a single screw providing quick installation.</li></ul> |
| Quantity Per        | bag                                                                                                                                                                                                                     |
| Product Description | HellermannTyton cable tie mounts are designed for use with 18 through 120 pound cable ties to provide stability when securing bundles. The mounts are installed quick and easy by securing a single screw.              |

|                                              |                                                                                              |
|----------------------------------------------|----------------------------------------------------------------------------------------------|
| <b>Short Description</b>                     | Cable Tie Anchor Mount, .86" x .62", .25" Hole Dia, .31" Max Tie Width, PA66, White, 100/pkg |
| <b>Global Part Name</b>                      | CTM4-PA66-WH                                                                                 |
| <b>Length L (Imperial)</b>                   | 0.86                                                                                         |
| <b>Length L (Metric)</b>                     | 21.8                                                                                         |
| <b>Fixation Method</b>                       | Screw Mounting and Rivet                                                                     |
| <b>Width W (Imperial)</b>                    | 0.62                                                                                         |
| <b>Width W (Metric)</b>                      | 15.8                                                                                         |
| <b>Cable Ties</b>                            | T18 - T120                                                                                   |
| <b>Height H (Imperial)</b>                   | .37                                                                                          |
| <b>Height H (Metric)</b>                     | 9.40                                                                                         |
| <b>Cable Tie Width Max (Imperial)</b>        | 0.31                                                                                         |
| <b>Cable Tie Width Max (Metric)</b>          | 7.9                                                                                          |
| <b>Mounting Hole Diameter D (Imperial)</b>   | 0.25                                                                                         |
| <b>Mounting Hole Diameter D (Metric)</b>     | 6.4 mm                                                                                       |
| <b>Mounting Hole Diameter D Max (Metric)</b> | 6.4                                                                                          |

|                                      |                                                        |
|--------------------------------------|--------------------------------------------------------|
| <b>Material</b>                      | Polyamide 6.6 (PA66)                                   |
| <b>Material Shortcut</b>             | PA66                                                   |
| <b>Flammability</b>                  | UL 94 V2                                               |
| <b>Operating Temperature</b>         | -40°F to +185°F (-40°C to +85°C)                       |
| <b>Reach Compliant (Article 33)</b>  | Yes                                                    |
| <b>ROHS Compliant</b>                | Yes                                                    |
| <b>Certification/Specification</b>   | UL   ANSI/UL 62275 UL   ANSI/UL 746B UL   ANSI/UL 1565 |
| <b>UL Recognized (US)</b>            | Yes                                                    |
| <b>UL Recognized (US and Canada)</b> | Yes                                                    |
| <b>Package Quantity (Imperial)</b>   | 100                                                    |
| <b>Package Quantity (Metric)</b>     | 100                                                    |
| <b>Customs Number</b>                | 3926909988                                             |