




Ordering Information:

DC-XXBFFB-QL8XPP

Number of Contacts

02
03
05


S: With Red Color Seal 1, Cable OD 8.0~10.0mm.
M: With Yellow Color Seal 2, Cable OD 10.0~12.0mm.
L: With Blue Color Seal 3, Cable OD 12.0~14.0mm.
A: With Seal 1 & Seal 2 & Seal 3.



QTY: 1 Pcs





PE Bag



QTY: XX Pcs



Carton



Note:

* One Set Unassembled In One PE Bag.
(每一組未組裝, 放置於一個PE袋, 並封口, 如圖示)



* Label is Attached To PE Bag Front.
(標籤貼在PE袋正面)

	20A ; 300Vac/Vdc 5 Contacts(05)
	20A ; 300Vac/Vdc 3 Contacts(03)
	20A ; 300Vac/Vdc 2 Contacts(02)

UNIT:mm



TOLERANCE

±0.5 mm

TITLE
X-Lok D-Size Field Installable
Cable Screw-In Type F Conn F Pin

SCALE 8:5	SIZE A4	SHEET 2 OF 2
REV. B	WC-REV. A.3	QC: Inspection item

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO	DRAWN BY Mafei	DATE 2018-03-12
DWG NO DC-XXBFFB-QL8XPP	CHECKED BY Jerry	DATE 2018-03-12
CUSTOMER ALTW	APPROVED BY Max	DATE 2018-03-12

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

[DC-05BFFB-QL8APP](#) [DC-03BFFB-QL8SPP](#) [DC-02BFFB-QL8MPP](#) [DC-05BFFB-QL8MPP](#) [DC-02BFFB-QL8LPP](#)
[DC-03BFFB-QL8APP](#) [DC-04BFFB-QL8SPP](#) [DC-05BFFB-QL8LPP](#) [DC-02BFFB-QL8SPP](#) [DC-04BFFB-QL8APP](#) [DC-](#)
[03BFFB-QL8MPP](#) [DC-04BFFB-QL8LPP](#) [DC-02BFFB-QL8APP](#) [DC-03BFFB-QL8LPP](#) [DC-05BFFB-QL8SPP](#) [DC-](#)
[04BFFB-QL8MPP](#)