





LOC		DIST		REVISIONS					
-		-		DESCRIPTION			DATE	DWN	APVD
		P	LTR						
			A	RELEASED PER ECO-15-013558			01OCT2015	KM	DH



- 1 MATERIAL: TOP COVER; LCP, COLOR - RED FOR IDENTIFICATION AS A TEMPORARY COVER.
BASE HOUSING; LCP, COLOR-NATURAL
CONTACT; BERYLLIUM COPPER
SOLDER BALL; SEE TABLE
TAPE, FILM; KAPTON WITH SILICON ADHESIVE
- 2 FINISH: CONTACT; GOLD (SEE TABLE) ON MATING AREA OVER NICKEL ON ENTIRE CONTACT.
- 3 PARTS ARE SUPPLIED WITH TEMPORARY COVERS THAT ARE INTENDED TO BE DISENGAGED FROM LATCHES ON BASE HOUSING PRIOR TO UNDERFILL OPERATION TO PREVENT WICKING OF UNDERFILL MATERIAL INTO MATING AREA OF CONTACTS. AFTER UNDERFILL AND CONFORMAL COAT OPERATION, TEMPORARY COVER IS TO BE REMOVED AND REPLACED WITH PERMANENT COVER, SEE TABLE FOR TE PART NUMBER. ENSURE ALL LATCHES ON BOTH SIDES OF PART ARE FULLY ENGAGED WHEN ASSEMBLING PERMANENT COVER.
4. PRODUCT IS PACKAGED ON TAPE AND REELED.



2102060-4	2828573-1	12	0.76µm	LEAD FREE PER SAC405	2828543-8
2102060-3	2828573-1	12	0.76µm	TIN LEAD	2828543-7
2102060-2	2828573-1	12	1.27µm	LEAD FREE PER SAC405	2828543-4
2102060-1	2828573-1	12	1.27µm	TIN LEAD	2828543-3
MATING PART NUMBER	3 PERMANENT COVER PART NUMBER	MATED STACK HEIGHT (mm)	GOLD PLATING THICKNESS	SOLDER BALL MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K. MILLER 01JUL2015	TE Connectivity		
DIMENSIONS:		CHK K. DOWHOWER 01JUL2015			
mm		APVD	NAME		
0 PLC ±		PRODUCT SPEC	ASSEMBLY, SOCKET, 114 POSITION, MEZALOK STACKING CONNECTOR UNDERFILL COMPATIBLE		
1 PLC ±		108-2411			
2 PLC ±		APPLICATION SPEC	SIZE		
3 PLC ±		114-13279	CAGE CODE DRAWING NO		
4 PLC ±		WEIGHT	A100779C=2828543		
ANGLES		Customer Drawing	RESTRICTED TO		
FINISH		SCALE 8:1	SHEET 1 OF 1		