




- △ Added precaution

UNITS mm		SCALE 5 : 1		COUNT 1	DESCRIPTION OF REVISIONS DIS-F-00006411	DESIGNED KS. NAKAJIMA	CHECKED HT. YAMAGUCHI	DATE 20200803
 HIROSE ELECTRIC CO., LTD.		APPROVED	: NH. NAKATA	20161121	DRAWING NO.	EDC-150569-91-00		
		CHECKED	: HT. YAMAGUCHI	20161121	PART NO.	FX8-60P-SV1(91)		
		DESIGNED	: MT. ITANO	20161121	CODE NO.	CL578-0041-0-91		
		DRAWN	: MT. ITANO	20161121				
						 		

Jul.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

Drawing for packing (free)



Notes 4 1 tube : 21 connectors.

HRS	DRAWING NO.	EDC-150569-91-00	123
	PART NO.	FX8-60P-SV1(91)	
	CODE NO.	CL578-0041-0-91	



Jul.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

【Precaution】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK

NG



HRS DRAWING FOR REFERENCE



DRAWING NO.	EDC-150569-91-00
PART NO.	FX8-60P-SV1(91)
CODE NO.	CL578-0041-0-91