




Part Number : [190670124](#)
Product Description : NylaKrimp Funnel Entry
Ring Tongue Terminal for 4/0 AWG Wire, Stud
Size 3/8" (M9)
Series Number : 19067
Status : Active
Product Category : Ring and Spade Terminals
Engineering Number : L-995-38



Documents & Resources


Drawings
[Drawing 190670124_sd.pdf](#)

3D Models and Design Files
[3D Model 190670124_stp.zip](#)

Specifications
[Product Specification PS-19902-011-001.pdf](#)
[Product Specification PS-19902-013-001.pdf](#)
[Product Specification PS-19902-016-001.pdf](#)

Product Environment Compliance

Compliance

| | |
|--------------------|---|
| GADSL/IMDS | Not Relevant |
| China RoHS |  |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Not Contained per D(2023)8585-DC (23 Jan 2024) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements
- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|----------------|---|
| Status | Active |
| Category | Ring and Spade Terminals |
| Series | 19067 |
| Description | NylaKrimp Funnel Entry Ring Tongue Terminal for 4/0 AWG Wire, Stud Size 3/8" (M9) |
| Keyword | Ring Terminal, Ring Terminals |
| Product Family | Solderless Terminals |
| Product Name | NylaKrimp |
| Type | Ring |
| UPC | 800753067189 |

Agency

| | |
|----|--------|
| UL | E32244 |
|----|--------|

Physical

| | |
|-----------------------------|----------------------|
| Barrel Type | Closed - Brazed |
| Flammability | 94V-2 |
| Insulation | Nylon (PA) |
| Material - Plating Mating | Tin |
| Net Weight | 51.406/g |
| Packaging Type | Bag |
| Plating min - Mating | 2.540µm |
| Plating min - Termination | 2.540µm |
| Stud Size | 3/8" (M9) |
| Termination Interface Style | Crimp or Compression |

| | |
|--------------------------|--------------|
| Wire Insulation Diameter | 23.98mm max. |
| Wire Size (AWG) | 4/0 |

Application Tooling

Global

| | |
|--|------------------|
| Description | Part Number |
| Die Set (Large) for the HHLS Hydraulic Crimper | <u>192890031</u> |